

# Energy profile GRIMM 605 BIG with distribution box closed - SCHUKO - CEE - RAL of your choice | ? RAL of your choice

**Product number** 605B-GS-E-STEL-RAL



## Product description

### Energy profile GRIMM 605 BIG with distribution box closed - SCHUKO - CEE

High-quality column for the internal mounting of socket strips. The pedestal is made entirely of stainless steel V2A 1.4301. This pillar is supplied without equipment components. Can be fitted with ready-to-connect socket strips (SCHUKO, CEE 16A 5 p 400V, CEE 16A 3 p 230V). Customised equipment possible on request.

Thanks to the installation box, the equipment components can be stored inside, protected from the weather. The cable is fed out of the lower opening when in use so that the door can be closed again. This guarantees a sleek and modern look and your equipment components are perfectly protected.

Thanks to the design, self-assembly is uncomplicated.

- High-quality pedestal made of stainless steel V2A 1.4301, optionally polished or powder-coated in RAL colour of your choice.
- Quality production - Made in Germany - Briefkasten Manufaktur Lippe.
- The fully welded pedestal is made of 2mm stainless steel V2A 1.4301. Overall height 1.70 m.
- Installation box made of 2mm stainless steel V2A 1.4301, optionally ground or powder-coated in RAL colour of your choice.
- Front removal door 365 mm x 637 mm, opens from left to right.
- The removal door is fitted with damped stainless steel hinges for extremely long service life.
- Optionally with lever lock, toggle lock or RFID lock.
- Invisible cable feed through the body possible.
- The pedestal is fitted with a base plate made of 10 mm V2A 1.4301 stainless steel. This is finished with a cover plate.


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	GRIMM
<b>Charging connection</b>	CEE, SCHUKO
<b>Mounting type</b>	Free-standing
<b>Material</b>	Stainless steel V2A 1.4301

## Dimensions

<b>Height of single box in mm</b>	710,0   750,0
<b>Width of single box in mm</b>	410,0   450,0
<b>Capacity in litres</b>	44
<b>Overall height in mm</b>	1700,0
<b>Total width in mm</b>	490.0 (base plate 580.0)
<b>Depth in mm</b>	150.0 (footplate 240.0)
<b>Weight in kg</b>	65
<b>Delivery condition</b>	Supplied fully assembled

## Drawing



## More images

