

Security letterbox type 126 AP + transfer slot - polished stainless steel

Product number 581



Product description

Security letterbox type 126 AP + transfer slot - polished stainless steel

The type 126 AP security letterbox with integrated transfer slot is a wall-mounted letterbox solution with a particularly high security standard. Manufactured from solid V2A stainless steel and equipped with a special insertion system for transfer or deposit forms, this model offers reliable protection against unauthorised access.

Solid construction for maximum security

The letterbox is made entirely of **polished V2A stainless steel** with a material thickness of **5 mm**. This exceptionally robust construction ensures high resistance to break-in attempts and tampering. The insertion slot is equipped with an **internal taper** and a **hinged rake**, making it virtually impossible to pull back the inserted documents.

In addition, **toothed plates** and **steel pins** secure the insertion area and prevent unauthorised removal of documents. This makes the type 126 AP an ideal solution for the secure receipt of sensitive documents in areas with increased security requirements.

Use in the banking sector

Even though traditional paper transfers have now largely been replaced by digital processes, the need for **secure deposit options for physical documents** remains. Many banks, savings banks and financial institutions use the type 126 AP for the secure posting of:

- · Forms, contracts or powers of attorney
- · Customer keys or internal documents
- Confidential mail between departments or branches

The **transfer slot** enables documents to be posted separately without them being accessible after posting. This makes the letterbox suitable both for outdoor areas of branches and for internal security zones where documents need to be posted in a tamper-proof manner.

Design, quality and function

The **polished stainless steel surface** gives the security letterbox an elegant, timeless look and also ensures high weather resistance and easy maintenance. V2A stainless steel stands for **durability** and **corrosion protection** - a sustainable material that retains its quality over the long term, even with daily use.

The combination of **traditional craftsmanship** and **modern production technology** means that every letterbox is manufactured with the utmost precision. The result is a product that impresses in terms of design, function and security - typically **Made in Germany**.



Technical data at a glance

- Material: Stainless steel V2A (#########_0__), polished
- Material thickness: 5 mm
- Insertion formats: up to DIN B4
- Security features: Toothed plate and steel pins to prevent unauthorised removal
- Transfer slot: with inner taper and hinged rake
- Lock: ABUS profile half cylinder 30/10, interchangeable (e.g. for locking systems)
- Mounting type: Wall mounting

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Material Stainless steel V2A 1.4301

Removal of mail On the front

Number of boxes with 1 letterbox

Surface/colour Brushed

Boxes by volume Large > 16 litres **Mounting type** Surface-mounted

Dimensions

Height of single box in mm 650,0 Width of single box in mm 375,0 Capacity in litres 12

Height of letterbox slot in mm up to 40.0
Width of letter slot in mm 260,0
Depth in mm 140,0
Weight in kg 28

Delivery condition Supplied fully assembled



More images





