

Design socket column GOETHE 200x600 for floor mounting - RAL of your choice

Product number 215-STK-200600



Product description

Designer socket column GOETHE 200x600 for free-standing installation - RAL of your choice

The modern GOETHE socket column is ideal for demanding areas. The linear design makes this socket outlet pillar look particularly elegant.

Thanks to the 3 mm side cladding with rain cover and the rear panel with base plate made of 6 mm aluminium, as well as the IP44 sockets (CEE, Schuko), this socket outlet pillar is absolutely weatherproof and perfectly suited for outdoor use.

- High-quality socket column made of stainless steel and aluminium.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- Body (WxHxD 200 x 600 x 100 mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice.
- Functional box can be opened from top to bottom. Non-visible fastening with screws.
- Optimum rain protection thanks to rain guard edges and a rain cover made of 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Side cladding made of 3 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Rear panel and base plate made of 6 mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Invisible fastening in the socket column thanks to reinforced base plate.

Important information

According to DIN VDE 0100-708 regulations, only up to a maximum of 4 sockets may be installed per energy profile.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GOETHE
Charging connection	CEE, SCHUKO
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Mounting type	Free-standing

Dimensions

Overall height in mm	614,0
Total width in mm	208,0
Depth in mm	100.0 + 25.0 Rain roof
Weight in kg	11
Delivery condition	Delivery is assembled

Drawing



More images

