

3er 1x3 letterbox Design BASIC 381 ST-R with newspaper compartment closed - RAL 7016 anthracite grey | RAL 7016 anthracite grey, fine structure, matt | 100mm depth | with 3 letterboxes

Product number 381-K7016-3W-ZFG-100



Product description

3-unit 1x3 letterbox design BASIC 381 ST-R with closed newspaper compartment - RAL 7016 anthracite grey

The 3-unit letterbox system BASIC with closed newspaper compartment, operated with a toggle lock.

The letterbox and the newspaper compartment are made of galvanised steel, powder-coated in anthracite grey RAL 7016, the stand elements are made of weather-resistant stainless steel V2A, polished. The very high-quality workmanship and the well thought-out concept make this free-standing letter box our top seller, which is characterised by a rain drainage edge for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate, a practical post holder and the very robust lock. This letterbox is easy to clean and robust.

Thanks to the design, self-assembly is uncomplicated.

- Letterboxes made of galvanised steel, powder-coated in anthracite grey RAL 7016 fine structure matt.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flaps with sound-absorbing rubber lip for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder for each letterbox.
- Newspaper compartments with door and toggle lock, powder-coated in anthracite grey RAL 7016, adhesive lettering "ZEITUNG" white. Dimensions: 355x165x100mm.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Includes close-fitting rain cover for optimum weather protection.
- The stand elements are made of 42.4 mm V2A stainless steel 1.4301, polished for screw mounting or setting in concrete.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still get in (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Functions	Newspaper compartment
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
Mounting type	Free-standing
Surface/colour	RAL 7016 anthracite grey, Brushed
Removal of mail	On the front
Number of boxes	with 3 letterboxes

Dimensions

Height of single box in mm	330,0
Width of single box in mm	355,0
Capacity in litres	12,0 17,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Height of letterbox in mm	495,0
Width of letterbox system in mm	1095,0
Overall height in mm	1200.0 1500.0 + 70.0 Attached rain roof
Total width in mm	890,0
Depth in mm	100,0 150,0
Weight in kg	29
Delivery condition	Supplied in blocks, stand elements / letterbox divided

More images



