

# 5-piece stainless steel surface-mounted letterbox design BASIC Plus 382XA AP - polished V2A stainless steel | 100mm depth | Close-fitting cladding with mounting rail | with 5 letterboxes (2x3) | Stainless steel, ground

**Product number** 382XA-VA-5S-100



## Product description

### 5-piece stainless steel surface-mounted letterbox design BASIC Plus 382XA AP - polished V2A stainless steel

High-quality surface-mounted letterbox for 5 parties made in Germany by Briefkasten Manufaktur.

The complete surface-mounted letterbox system is made of polished V2A stainless steel. The very high-quality workmanship and the well thought-out concept make this letterbox system our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this surface-mounted letterbox system.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

Thanks to the design, self-assembly is uncomplicated. The letterbox system is prepared for uncomplicated complete assembly, so there is no need for time-consuming wall mounting of individual boxes.

- 5-point surface-mounted letterbox system with letterboxes made of V2A stainless steel, polished.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flaps with sound-absorbing rubber seal for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder for each letterbox.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Incl. side panelling + rain cover made of V2A stainless steel, polished.
- For wall mounting incl. mounting rail and fastening material (screws + dowels).

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

|                        |                            |
|------------------------|----------------------------|
| <b>Series</b>          | BASIC                      |
| <b>Boxes by volume</b> | Normal > 10 litres         |
| <b>Name labelling</b>  | Nameplate                  |
| <b>Material</b>        | Stainless steel V2A 1.4301 |
| <b>Removal of mail</b> | On the front               |
| <b>Number of boxes</b> | with 5 letterboxes         |
| <b>Surface/colour</b>  | Brushed                    |
| <b>Mounting type</b>   | Surface-mounted            |

## Dimensions

|                                        |                                                  |
|----------------------------------------|--------------------------------------------------|
| <b>Height of single box in mm</b>      | 330,0                                            |
| <b>Width of single box in mm</b>       | 355,0                                            |
| <b>Capacity in litres</b>              | 12,0   17,0                                      |
| <b>Height of letterbox slot in mm</b>  | 35,0                                             |
| <b>Width of letter slot in mm</b>      | 325,0                                            |
| <b>Height of letterbox in mm</b>       | 990,0                                            |
| <b>Width of letterbox system in mm</b> | 710,0                                            |
| <b>Depth in mm</b>                     | 100,0   150,0                                    |
| <b>Weight in kg</b>                    | 25                                               |
| <b>Delivery condition</b>              | Delivery is pre-assembled/partially disassembled |

## More images



