

# Design surface-mounted letterbox GRIMM

- Colour of your choice GIRA System 106
- 3-gang prepared | Gira System 106
   prepared | ? Colour of your choice | Top |
   Surface-mounted

Product number 562-AP-SPO-1-SF-GI106V



### Product description

# Design letterbox GRIMM® - A masterpiece of the letterbox manufactory

The GRIMM designer surface-mounted letterbox combines modern design with first-class workmanship - ideal for discerning building owners and architects who are looking for an elegant solution for integrating the Gira System 106. Manufactured from high-quality stainless steel and completely "Made in Germany" by the letterbox manufacturer Lippe, this model stands for durability, functionality and a stylish look. The powder-coated front panel made of 2 mm stainless steel V2A (1.4301) in the colour of your choice impresses with its timeless appearance and high corrosion resistance. The flush-mounted design enables seamless integration of up to three GIRA 106 system modules (not included in the scope of delivery) via a sophisticated mounting system. The optional surface-mounted housing (5503910) is required for mounting the Gira components.

The GRIMM® letterbox is not only a visual highlight, but also at the forefront in terms of functionality and quality. Made by Briefkasten Manufaktur, it stands for maximum value and reliability. Thanks to the innovative push-key lock, the letterbox can be closed easily and conveniently - even without the use of a key. The lock is optimally protected against the weather.

The letterbox also offers an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall out. It can also be conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently. Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality. The GRIMM® letterbox combines sophisticated design with modern technology and creates a stylish and functional entrance area. Opt for durability and top quality - with a letterbox that blends in perfectly with your architecture while offering optimum protection for your mail.

The innovative double box system simplifies installation: the surface-mounted body made of powder-coated stainless steel V2A (1.4301) is installed first, while the cover can be inserted once the installation work is complete. The offset cover also offers optimum protection against rain and other environmental influences.



- High-quality letterbox made entirely of stainless steel for surface mounting.
- Front panel made of 2 mm stainless steel V2A 1.4301, powder-coated.
- Quality production Made in Germany by Briefkasten Manufaktur Lippe.
- The Gira System 106 can be used seamlessly in a flush-mounted design. The preparation is intended for 3 GIRA 106 system modules. The modules can be flush-mounted using the simple mounting system (surface-mounted housing 5503910 required!). WITHOUT GIRA system components!
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- Double box system: Ideal for surface mounting. The cover can be easily installed once the construction work is complete.
- Surface-mounted box made of 2 mm stainless steel V2A 1.4301, powder-coated.

#### Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

### **Product properties**

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of

your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

Series GRIMM

**Functions** Camera, Intercom, Fingerprint, Keypad

Functional box prepared for

manufacturer

GIRA

Material Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)

Removal of mail

Number of letterboxes

Boxes by volume

Mounting type


On the front

with 1 letterbox

Large > 16 litres

Surface-mounted

## Abmessungen





Height of single box 460,0

in mm:

Width of single box

in mm:

410,0

Capacity in litres:

26,0 35,0

**Height of letterbox** slot in mm:

Width of letter slot in 325,0

mm:

Height of letterbox in 760,0

mm: Width of letterbox

460,0

system in mm:

Depth in mm: 150,0 Weight in kg: 29

**Delivery condition:** Lieferung erfolgt montiert

**Shipping** information: Abhängig vom Bestellvolumen erfolgt die Lieferung mit Paketversand oder Sperrgutversand. Teillieferungen sind bei zerlegbaren Produkten möglich (z.B. bei Standbriefkästen kann der Versand von Ständer & Kasten

separat erfolgen).



## More images

