

Stainless steel parcel letterbox pedestal BASIC Plus 864XS with parcel compartment 550x370 - RAL of your choice | without newspaper compartment | 370x330x385 mm (WxHxD) - ?????? Jumbo 46 litres

Product number 864XS-1



Product description

Stainless steel BASIC Plus 864XS parcel post box column with parcel compartment 550x370 - RAL of your choice

Modern letterbox pillar including parcel compartment - made in Germany by Briefkasten Manufaktur.

The letterbox pillar is made entirely of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this letterbox pillar our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion and the very robust lock characterise this letterbox pillar. The side panelling with protruding rain cover made of V2A stainless steel offers optimum protection against the weather and guarantees a very long service life.

Receive parcels regardless of delivery person! Any parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Letterbox pillar with parcel compartment made of stainless steel V2A 1.4301, powder-coated in RAL colour.
- The complete letterbox pillar has a modular design, so each component can be replaced or changed at any time.
- Parcel compartment 370x550x385 mm (WD) incl. parcel lock with latch and 5 keys. With high-quality stainless steel laser labelling "PAKET".
- Parcel compartment volume: 77 litres, max. Parcel size: 340 x 520 x 355 mm (WHT).
- Letterbox 370x330x385 mm (WHT). Removal from the front, the removal door can be opened from left to right.
- Insertion C4 crosswise from the front, even large letters fit in here without creasing. Insertion flap with rubber lip.
- DIN EN 13724 compliant.
- Includes 2 keys with key number per letterbox and 2-part flush-fitting nameplate under the flap (without labelling, optional "Advertising, no thanks!").
- Optional high-quality stainless steel laser labelling. House number approx. 80-100mm high & name lettering approx. 25-40mm high.
- Screwed rear panel made of 2mm stainless steel V2A 1.4301, powder-coated.
- Side panelling made of 2.5mm stainless steel V2A 1.4301, powder-coated and rain canopy made of 6mm stainless steel V2A 1.4301, powder-coated.
- The pedestal is equipped with internal base plates. This conceals the fixing plugs (not included, see accessories) for screw mounting.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck Ust.ID.Nr. DE303690847 Handelsregister Amtsgericht Lemgo, HRB 8618



Product properties

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice

(according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

Series BASIC

Functions Parcel compartment

Number of

with 1 parcel box, with 1 letterbox

boxes

Material Aluminium AlMg3 W19, Stainless steel V2A 1.4301

Mounting type Free-standing
Removal of mail On the front
Boxes by Jumbo > 30 litres

volume

Dimensions

Height of single box in mm BK 330.0 | PK 550.0

Width of single box in mm 370,0

Capacity in litres BK 46.0 | PK 77.0

Height of letterbox slot in mm 35,0
Width of letter slot in mm 325,0
Overall height in mm 1116,0
Total width in mm 382,0


Depth in mm 414.0 + 16.0 Rain roof


Weight in kg 68


Delivery condition Delivery is assembled



Drawing









More images





















