

13-piece stainless steel free-standing letterbox system Design BASIC Plus 385XP ST-T with bell box - RAL of your choice | Right | ? Colour of your choice | with 13 letterboxes

Product number 385XP-13S-R



Product description

13-point stainless steel free-standing letter box system Design BASIC Plus 385XP ST-T with bell box - RAL of your choice

Modern free-standing letterbox for 13 parties made in Germany by Briefkasten Manufaktur.

The letterboxes are made of stainless steel, powder-coated in RAL of your choice, the stand elements are made of anodised aluminium profile, powder-coated and are solidly manufactured and at the same time very elegant. A close-fitting side cladding with rain canopy and the rain drainage channels for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate and the robust lock characterise this free-standing letterbox. This letterbox is easy to clean and robust.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- 13 letterbox completely powder-coated
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The stainless steel letterboxes, powder-coated in RAL of your choice, comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, even large letters fit in here without creasing.
- Insertion flaps with sound-absorbing rubber lip for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap for each letterbox.
- Incl. close-fitting side panelling + rain cover made of V2A stainless steel, powder-coated.
- Bell function box made of stainless steel, powder-coated in RAL colour of choice
- Intercom perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in the scope of delivery).
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push type 4, max. 250 V AC, 5 A.
- Anti-vandalism The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.
- The stand elements are made of aluminium profile, powder-coated, for screw mounting or setting in concrete.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.



Product properties

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of

your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

Series BASIC

Functions Light button, Intercom

Functional box prepared for GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald,

manufacturer Legrand Bticino, Comelit

Boxes by volume Normal > 10 litres

Name labelling Nameplate

Material Aluminium AlMg3 W19, Stainless steel V2A 1.4301

Mounting type Free-standing
Removal of mail On the front
Number of boxes with 13 letterboxes

Dimensions

Height of single box in mm110,0Width of single box in mm300,0Capacity in litres12Height of letterbox slot in mm35,0Width of letter slot in mm265,0Height of letterbox in mm660,0Width of letterbox system in mm600,0

Overall height in mm 1200,0 | 1600,0

 Total width in mm
 1000,0

 Depth in mm
 435,0


 Weight in kg
 78


Delivery condition Supplied in blocks, stand elements / letterbox divided




Drawing

Montagebohrungen









More images





















