

Video door station DIVISION 530S - RAL of your choice - Comelit Ultra VIDEO Set

Product number 530S-E-KSCSWIFI-1



Product description

DIVISION 530S video door station - RAL of your choice - Comelit Ultra VIDEO Set

The DIVISION 530S video call station is the perfect combination of state-of-the-art door communication, high-quality design and maximum ease of use. The elegant front made of powder-coated stainless steel in the colour of your choice blends seamlessly into any building façade, while the white illuminated bell push sets a stylish accent. The high-quality finish in V2A stainless steel makes the system particularly robust, durable and weather-resistant - ideal for long-term outdoor use.

Equipped with the innovative Comelit camera, you can experience razor-sharp live images, a generous wide angle, face recognition and voice control. Convenient operation via mobile phone or indoor intercom: Using the free Comelit app, you can receive visitor calls directly on your smartphone, see the camera image in real time, speak to guests and even open doors or gates if you wish - no matter where you are.

With the DIVISION 530S video call station, you are opting for a flexible, modular system in which front panels and camera modules can be easily replaced even years later. This means your door communication is always up to date - both technically and visually.

- Door station made of 2 mm stainless steel V2A 1.4301.
- Interchangeable front panels powder-coated in RAL colour of your choice.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grit polished.
- 8-12V DC short-stroke bell push-button with LED ring lighting in white.
- Doorbell plate dimensions: W 160 mm x H 260 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 230 mm x D 50 mm.
- Optionally for flush-mounted or surface-mounted installation.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	DIVISION
Connection technology	2-wire
Number of bell push buttons	1 button
Functions	Camera, Intercom
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Name labelling	Laser-engraved
Mounting type	Surface-mounted, Flush-mounted

Dimensions

Width in mm	130 160
Height in mm	230 260
Total width in mm	130 160
Depth in mm	52,0
Weight in kg	4
Delivery condition	Delivery is assembled

Drawing



More images

