

Video door station DIVISION 530S - polished stainless steel - Comelit Ultra VIDEO complete set Wifi

Product number 530S-VA-KSCSWIFI-1



Product description

DIVISION 530S video door station - RAL of your choice - Comelit Ultra VIDEO complete set Wifi

The DIVISION 530S video intercom is the perfect combination of state-of-the-art door communication, high-quality design and maximum ease of use. The elegant front made of polished stainless steel blends seamlessly into any building façade, while the white illuminated bell push adds a stylish accent. The high-quality finish in V2A stainless steel makes the system particularly robust, durable and weather-resistant - ideal for long-term outdoor use.

Equipped with the innovative Comelit doorbell with camera, you can experience razor-sharp live images, a generous wide angle, face recognition and voice control. The doorbell can be conveniently operated using a mobile phone: you can receive visitor calls directly on your smartphone via the free Comelit app, see the camera image in real time, speak to guests and even open doors or gates if you wish - no matter where you are.

Thanks to modern 2-wire technology, installation is particularly easy and ideal for new builds, conversions or renovations. Existing doorbell lines can continue to be used without the need for time-consuming plastering or painting work. The pre-programmed delivery ensures that your new video call station is quickly ready for use - simply connect and start.

With the DIVISION 530S video call station, you are opting for a flexible, modular system in which front panels and camera modules can be easily replaced even years later. This means your door communication is always up to date - both technically and visually.

- Door station made entirely of stainless steel.
- Replaceable front panels in V2A stainless steel _1.4301, 240 grain polished.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grit polished.
- Dimensions of the bell plates: W 160 mm x H 260 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 230 mm x D 50 mm.
- Optionally for flush mounting or surface mounting.
- 8-12V DC short-stroke bell push-button with LED ring lighting in white.
- Wide-angle colour camera with 1288 x 968 pixel resolution.
- Detection angle: 120° horizontal, 90° vertical.
- Omnidirectional digital microphone and two loudspeakers for hi-fi audio quality.
- Twilight sensor for automatic lighting control.
- Visual and acoustic indicators for barrier-free use.
- Integrated door opener function (load capacity up to 3 A) with additional relay contacts up to 10 A.
- Including power supply unit Art. 1209.

2-wire technology - your advantages at a glance

- **Simple installation:** Use of existing bell lines - no costly rewiring or construction work.
- **High security against hacking & burglary:** Closed line structure without direct internet connection, protects against unauthorised access and manipulation.
- **No more differences in quality:** HD video, clear sound and stable connection at IP level.
- **Cost-efficient & future-proof:** Lower installation costs, low maintenance, modularly expandable.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


Product properties

| | |
|-----------------------------|---------------------------------|
| Series | DIVISION |
| Connection technology | 2-wire |
| Number of bell push buttons | 1 button |
| Functions | Camera, Intercom |
| Material | Stainless steel V2A 1.4301 |
| House number | House number as laser engraving |
| Name labelling | Laser-engraved |
| Surface/colour | Brushed |
| Mounting type | Surface-mounted, Flush-mounted |

Dimensions

| | |
|--------------------|-----------------------|
| Width in mm | 130 160 |
| Height in mm | 230 260 |
| Depth in mm | 52,0 |
| Weight in kg | 4 |
| Delivery condition | Delivery is assembled |

Drawing



More images

