

# 2er 1x2 stainless steel fence letterbox BASIC Plus 382XZ - removal from the rear | with 2 letterboxes (1x2) | Stainless steel, ground

**Product number** 382XAZ-VA-2S



## Product description

### 2x2 stainless steel fence letter box BASIC Plus 382XZ - removal from the rear

High-quality fence mailbox for 2 parties from Briefkasten Manufaktur. Mail is inserted from the front, residents can remove the mail from the back. The letter box can be attached to your fence using the optional bar mat attachment; if this is not selected, the letter box should be fitted and perforated by your fence builder. The complete fence letterbox is made of weather-resistant stainless steel V2A 1.4301, 240 grain polished. A rain drainage edge for optimum water protection, a throw-in flap with rubber buffer, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this stainless steel letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- 2-post fence letterbox made of stainless steel V2A 1.4301, 240 grain polished.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber seal for very quiet mail insertion.
- The door can be opened from left to right.
- Incl. 2 keys with key number, interchangeable name plate (type 2) under the flap and post holder.
- Incl. side panelling + rain cover made of stainless steel V2A 1.4301, 240 grain polished.
- Suitable for fence mounting, fixing holes must be made on site. Optionally with bar mat holder.

#### Important information:

The post is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

<b>Series</b>	BASIC
<b>Boxes by volume</b>	Normal > 10 litres
<b>Name labelling</b>	Nameplate
<b>Material</b>	Stainless steel V2A 1.4301
<b>Mounting type</b>	Fence
<b>Number of letterboxes</b>	with 2 letterboxes
<b>Surface/colour</b>	Brushed
<b>Removal of mail</b>	On the back

## Abmessungen

<b>Height of single box in mm:</b>	330,0
<b>Width of single box in mm:</b>	355,0
<b>Capacity in litres:</b>	12
<b>Height of letterbox slot in mm:</b>	35,0
<b>Width of letter slot in mm:</b>	325,0
<b>Height of letterbox in mm:</b>	660,0
<b>Width of letterbox system in mm:</b>	355,0
<b>Depth in mm:</b>	100.0 + 24.0 Rain roof
<b>Weight in kg:</b>	11
<b>Delivery condition:</b>	System is delivered pre-assembled/partially disassembled
<b>Shipping information:</b>	Depending on the order volume, delivery will be by parcel post or bulky goods. Partial deliveries are possible for dismountable products (e.g. stand mailboxes can be shipped separately).

## More images





