

# Stainless steel fence mailbox designer model BIG with DoorBird video intercom system

Product number 515BR-KSDB2101E



# Product description

# Stainless steel fence mailbox designer model BIG - rear removal - with DoorBird D2100E or D1100E video intercom - VIDEO set

High-quality manufactured letterbox from Briefkasten Manufaktur in extra large format. Integrated DoorBird IP Video Door Station D2100E or D1100E. The DoorBird IP Video Door Station D2100E or D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app.

This is a real eye-catcher among letterboxes. Clean lines and no-frills design characterise the designer letterbox. Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur. The DoorBird was not only invented and developed in Germany, but is still produced in Berlin today. At DoorBird, "Made in Germany" is not just a seal, but a philosophy that is lived and breathed. The IP video door stations are manufactured in the DoorBird factory to guarantee the highest quality, durability and customer satisfaction.

- Designer stainless steel fence letterbox made from 2 mm V2A stainless steel.
- Rear mail removal door 240 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Post insertion from the front, insertion dimensions: W 35 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing. Attention, no removal protection!
- Optionally with house number, backlit in white incl. EVN LED power supply unit / transformer IP65 12V/DC 0.1-4W for LED illumination of the house number.
- Surface-mounted box dimensions: H 710 mm x W 410 x D 100 without fixing holes (must be provided by customer). ATTENTION the front panel protrudes 2 cm all round.
- Surface-mounted box made of V2A stainless steel, ground on all sides.
- Incl. DoorBird IP video door station D2100E or D1100E installed.

### Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

#### Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.



# **Product properties**

Series DESIGNER

**Connection technology** LAN **Number of bell push buttons** 1 button

Functions Newspaper compartment, Camera, Intercom, Fingerprint

Name labellingLaser-cut engraving, NameplateMaterialStainless steel V2A 1.4301

Mounting type Fence

House number as laser cut, illuminated

On the back

Number of boxeswith 1 letterboxSurface/colourBrushedBoxes by volumeLarge > 16 litres

#### **Dimensions**

Removal of mail

 Height of single box in mm
 710,0 | 750,0


 Width of single box in mm
 410,0 | 450,0


Capacity in litres21Height of letterbox slot in mm63,0Width of letter slot in mm350,0Depth in mm100,0Weight in kg32

**Delivery condition** Delivery is assembled



## Drawing





## Regendach "DESIGNER"


Für Aufputz-, Zaun-, und Standbriefkästen der Kollektion Designer liegt ein Regendach bei. Dieses ist selbstklebend und nach erfolgreicher Montage oben auf dem Briefkasten aufzusetzen. Achten Sie dabei auf eine genaue Ausrichtung!





# More images















Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck Ust.ID.Nr. DE303690847 Handelsregister Amtsgericht Lemgo, HRB 8618