

Design surface-mounted letterbox GRIMM - Colour of your choice - GIRA System 106 - Video intercom system - VIDEO complete set | Gira System 106 complete set video | ? Colour of your choice | Top | Surface- mounted

Product number 562-AP-SPO-1-SF-GI106KS



Product description

Design letterbox GRIMM® - A masterpiece of the letterbox manufactory

The GRIMM designer surface-mounted letterbox combines modern design with first-class workmanship - ideal for discerning building owners and architects who are looking for an elegant solution for integrating the Gira System 106. Manufactured from high-quality stainless steel and completely "Made in Germany" by the letterbox manufacturer Lippe, this model stands for durability, functionality and a stylish look. The powder-coated front panel made of 2 mm stainless steel V2A (1.4301) in the colour of your choice impresses with its timeless appearance and high corrosion resistance. The flush-mounted design enables seamless integration of up to three GIRA 106 system modules via a sophisticated mounting system. 3 GIRA system modules are included, so the letterbox can be used directly. The matching GIRA home station and the control unit to complete this letterbox are included. The modules can be replaced at any time thanks to the simple mounting system.

The GRIMM® letterbox is not only a visual highlight, but also a leader in terms of functionality and quality. Made by Briefkasten Manufaktur, it stands for maximum value and reliability. Thanks to the innovative push-key lock, the letterbox can be closed easily and conveniently - even without the use of a key. The lock is optimally protected against the weather.

The letterbox also offers an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall out. It can also be conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently. Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality. The GRIMM® letterbox combines sophisticated design with modern technology and creates a stylish and functional entrance area. Opt for durability and top quality - with a letterbox that blends in perfectly with your architecture while offering optimum protection for your mail.

The innovative double box system simplifies installation: the surface-mounted body made of polished stainless steel V2A (1.4301) is installed first, while the cover can be inserted once the installation work is complete. The offset cover also offers optimum protection against rain and other environmental influences.

- High-quality letterbox made entirely of stainless steel for surface mounting.
- Front panel made of 2 mm stainless steel V2A 1.4301, powder-coated.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- Incl. GIRA home station & control unit enclosed, System 106 door station module, info module & camera module installed.
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape - even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- Double box system: Ideal for surface mounting. The cover can be easily installed once the construction work is complete.
- Surface-mounted box made of 2 mm stainless steel V2A 1.4301, powder-coated.

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Connection technology	2-wire
Number of bell push buttons	1 button
Functions	Camera, Intercom
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Number of letterboxes	with 1 letterbox
Boxes by volume	Large > 16 litres
Mounting type	Surface-mounted

Abmessungen

Height of single box in mm:	460,0
Width of single box in mm:	410,0
Capacity in litres:	26,0
Height of letterbox slot in mm:	35,0
Width of letter slot in mm:	325,0
Height of letterbox in mm:	760,0
Width of letterbox system in mm:	460,0
Depth in mm:	150,0
Weight in kg:	19
Delivery condition:	Lieferung erfolgt montiert
Shipping information:	Abhängig vom Bestellvolumen erfolgt die Lieferung mit Paketversand oder Sperrgutversand. Teillieferungen sind bei zerlegbaren Produkten möglich (z.B. bei Standbriefkästen kann der Versand von Ständer & Kasten separat erfolgen).

More images





