# Letterbox pedestal BASIC Plus 864X with 550x370 parcel compartment & closed newspaper compartment - RAL of your choice | with newspaper compartment | with 1 letterbox

Product number 864X-1-ZFG

Product description

Letterbox column BASIC Plus 864X with 550x370 parcel compartment & closed newspaper compartment - RAL of your choice

Modern letterbox pillar including parcel compartment and newspaper compartment with toggle lock - made in Germany by Briefkasten Manufaktur.

The letterbox pillar is made entirely of stainless steel V2A and aluminium, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this letterbox pillar our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate and the very robust lock characterise this letterbox pillar. The 6 mm thick side cladding with protruding aluminium rain cover offers optimum protection against the weather and guarantees a very long service life.

Receive parcels regardless of delivery person! Any parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Letterbox pillar with parcel compartment made of stainless steel V2A 1.4301 and aluminium, powder-coated in RAL colour.
- The complete letterbox pillar has a modular design, so each component can be replaced or modified at any time.
- Newspaper compartment 370x220x385 mm (WHT) with door and toggle lock. With high-quality stainless steel laser labelling "ZEITUNG".
- Parcel compartment 370x550x385 mm (WD) incl. parcel lock with latch. With high-quality stainless steel laser labelling "PAKET".
- Parcel compartment volume: 77 litres, max. Parcel size: 340 x 520 x 355 mm (WD).
- Letterbox 370x330x385 mm (WHT). Removal from the front, the removal door can be opened from left to right.
- Insertion C4 crosswise from the front, even large letters fit in here without creasing. Insertion flap with rubber lip.
- DIN EN 13724 compliant.
- Includes 2 keys with key number per individual box and 2-part flush-fitting name plate under the flap (without labelling).
- Optional high-quality stainless steel laser labelling. House number approx. 80-100mm high & name lettering approx. 25-40mm high.
- Screwed rear panel made of 2mm stainless steel V2A 1.4301, powder-coated.
- Side cladding and rain canopy made of 6mm aluminium, powder-coated.
- The pedestal is equipped with internal base plates made of 6 mm aluminium. This conceals the fixing plugs (not included, see accessories) for screw mounting.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	BASIC
Functions	Newspaper compartment, Parcel compartment
Number of boxes	with 1 parcel box, with 1 letterbox
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Dimensions

Height of single box in mm	BK 330.0	PK 550.0	ZF 220.0
Width of single box in mm	370,0
Capacity in litres	BK 46.0	PK 77.0	ZF 30.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Overall height in mm	1606,0
Total width in mm	382,0
Depth in mm	414.0 + 16.0 Rain roof
Weight in kg	58
Delivery condition	Delivery is assembled

Drawing

Bohrbild f. Montage

44,5

150

150

(69,5)

6x Ø12

310

382

220

550

550

370

430

1606

414

452

More images

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Page 6