

# Design pedestal letterbox GRIMM ST-R polished stainless steel with DoorBird video intercom left | Left | DoorBird | mail collection at the front | Stainless steel, ground

Product number 562-STR-SPL-1-VA-DB



### Product description

# Design free-standing letterbox GRIMM <sup>®</sup> ST-R with DoorBird video intercom - A masterpiece of letterbox manufacturing

The GRIMM designer free-standing letterbox is the perfect eye-catcher for any entrance area - ideal for discerning builders and architects looking for an elegant solution for integrating DoorBird. Made from high-quality stainless steel and completely "Made in Germany" by the letterbox manufacturer Lippe, this model stands for durability, functionality and a stylish look. The polished front panel made of 2 mm stainless steel V2A (#########\_0\_\_) impresses with its timeless appearance and high corrosion resistance.

At the centre of this system is the DoorBird IP video door station, which can be optimally integrated into modern smart home solutions. It offers live video transmission, intercom function and mobile control via the DoorBird app. Whether at home or on the move - you can see and speak to visitors at your front door at any time using your smartphone. Classic components such as doorbells, electric door openers or gate operators can be easily integrated and controlled via the system.

The GRIMM® letterbox is not only a visual highlight, but also at the forefront in terms of functionality and quality. Thanks to the innovative push-key lock, the letterbox can be operated easily and conveniently with one hand. Open the door with one push and close the door without using a key. The lock is optimally protected from the weather. The letterbox also offers an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall towards you. Mail is also conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently. The GRIMM is particularly unique thanks to its double box system: the body made of polished stainless steel V2A (\_\_\_\_00\_0\_\_) is installed first, while the cover can be inserted once the installation work is complete. The offset cover also offers optimum protection against rain and other environmental influences.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality.

- High-quality free-standing letterbox made entirely of stainless steel.
- Front panel made of 2 mm stainless steel V2A 1.4301, polished.
- Quality production Made in Germany by Briefkasten Manufaktur Lippe.
- Incl. DoorBird IP video door station D2100E with illuminated bell buttons or IP video door station D3100E with 7 inch display.
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front insertion with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- The uprights are made of 60.3 mm stainless steel V2A 1.4301, polished for screw mounting or setting in concrete.

#### Important information:



To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

## **Product properties**

Series GRIMM
Connection technology LAN
Number of bell push buttons 1 button

Functions Camera, Intercom Mounting type Free-standing

Material Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)

House number as laser cut, illuminated

Name labellingLaser-engravedRemoval of mailOn the frontNumber of boxeswith 1 letterbox

Surface/colour Brushed

Boxes by volume Large > 16 litres

#### **Dimensions**

Height of single box in mm460,0Width of single box in mm610,0Capacity in litres26,0Height of letterbox slot in mm35,0Width of letter slot in mm325,0Height of letterbox in mm510,0Width of letterbox system in mm610,0

Overall height in mm 1200,0 | 1500,0 | 1700,0 +30

Total width in mm610,0Depth in mm155,0Weight in kg41

**Delivery condition** Supplied in blocks, stand elements / letterbox divided



# More images

















