

Security free-standing letterbox type 184 + transfer slot - polished stainless steel

Product number 584



Product description

Security pillar letterbox type 184 with transfer slot - polished stainless steel

The security free-standing letterbox type 184 is a high-quality pillar solution made of polished stainless steel V2A (1.4301) with an integrated transfer slot. It was specially developed for professional use in security-relevant areas such as banks, savings banks or financial institutions. Thanks to its solid construction, precise workmanship and sophisticated security mechanisms, this letterbox fulfils the highest requirements in terms of protection, durability and functionality.

The letterbox column is made entirely from solid stainless steel and has a material thickness of 5 mm on the front and 2.5 mm on the body. This robust construction offers high resistance to break-in attempts, tampering and external influences. The removal door opens from left to right and is equipped with toothed plates and steel pins to reliably prevent unauthorised removal of the mail.

The transfer slot has an additional inner taper and a hinged rake that makes it virtually impossible to pull out inserted documents. This ensures the secure delivery of sensitive documents - ideal for banks and institutions with high security requirements. With a weight of approx. 41 kg, the letterbox also offers outstanding stability and break-in resistance.

Even though the classic bank transfer slip is used less frequently these days, the need for secure posting options for physical documents remains. Banks and financial institutions use the type 184 for the secure posting of forms, contracts, authorisations or key sets - especially outside opening hours or in self-service areas.

Typical application scenarios are

- **Banks and savings banks:** Secure posting of confidential documents or forms in protected outdoor areas. The solid stainless steel construction prevents tampering after insertion.
- **Finance departments or cash-in-transit centres:** Handing over keys, forms or documents with increased security requirements.
- **Offices with customer access:** Ideal for branches that want to offer a secure drop-off point for documents outside business hours.

Design and quality

The **polished stainless steel surface** gives the letterbox a high-quality, timeless appearance and also makes it weather-resistant and easy to clean. The clear design language blends harmoniously into modern bank architecture and emphasises the professional character of any interior.

Thanks to its production in Germany, the type 184 combines **traditional craftsmanship** with **state-of-the-art metal technology**. The result is a durable, functional and safe product that will work reliably for years, even with intensive use.

Function and features

- Material: Stainless steel V2A (1.4301), polished
- Material thickness: 5 mm (front) / 2.5 mm (body)
- Insertion chute: with transfer slot, additional inner taper and hinged rake
- Insertion formats: up to DIN B4
- Removal protection: toothed plates and steel pins to prevent unauthorised removal
- Lock: ABUS profile half cylinder 30/10, interchangeable (e.g. for locking systems)
- Weight: approx. 41 kg
- Installation type: free-standing with concealed floor mounting

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Mounting type	Free-standing
Material	Stainless steel V2A 1.4301
Removal of mail	On the front
Number of boxes	with 1 letterbox
Boxes by volume	Jumbo > 30 litres
Surface/colour	Brushed

Dimensions

Capacity in litres	45
Height of letterbox slot in mm	up to 40.0
Width of letter slot in mm	260,0
Overall height in mm	1200,0
Total width in mm	340,0
Depth in mm	250,0
Weight in kg	41
Delivery condition	Supplied fully assembled

More images

