

# Design free-standing letterbox GRIMM - polished stainless steel with COMELIT Ultra - VIDEO set left | Left | Comelit Ultra | mail collection at the front | Stainless steel, ground

Product number 562-STR-SPL-1-VA-CSU



## Product description

### Design free-standing letterbox GRIMM with Comelit video door intercom left - modern technology meets timeless design

The freestanding design letterbox GRIMM combines modern design, precise workmanship and high-quality materials - ideal for building owners and architects who are looking for an elegant and durable solution for integrating a Comelit video door intercom system. Made from robust stainless steel and completely "Made in Germany" by the letterbox manufacturer Lippe, this model stands for quality, functionality and clear, modern lines. The powder-coated front panel made of 2 mm V2A stainless steel impresses with its high corrosion resistance and elegant, timeless appearance.

At the centre of this system is the **Comelit Ultra video door intercom**, available in two modern connection variants - **2-wire technology** and **ViP (IP technology)**. Both systems offer maximum flexibility, simple installation and future-proof network integration. Comelit Ultra enables live video transmission, intercom function and mobile control via the **Comelit app**. This means you can see and speak to visitors at your front door at any time - whether you are at home or on the move - and open the door or gate if you wish. This makes door communication convenient, secure and smart.

The **GRIMM® letterbox** is not only an aesthetic highlight, but also impresses in terms of functionality and ease of use. The innovative **push-key lock** enables simple, one-handed operation: the door opens with a push and can be locked without a key - conveniently and protected from the weather. The **post removal door** at the front opens from top to bottom so that the post remains securely in the box and cannot fall out. The **front mail slot** is rounded off by high-quality axle dampers, which ensure that the flap closes particularly quietly and gently.

The **double box system** is particularly practical: the powder-coated stainless steel surface-mounted body is installed during the construction phase, while the design panel is only fitted once the work has been completed. This offset front panel not only offers optimum weather protection, but also enables clean, dirt-free final installation.

Thanks to **DIN/EN 13724**, the GRIMM is suitable for large letters in C4 format, which can be inserted without creasing. The GRIMM letterbox therefore combines durable quality, modern technology and sophisticated functionality in one product.

- High-quality free-standing letterbox made entirely of stainless steel.
- Front panel made of 2 mm stainless steel V2A 1.4301, powder-coated in the colour of your choice.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- Integrated Comelit Ultra in two modern connection variants - 2-wire technology and ViP (IP technology). Both systems impress with their high flexibility, simple installation and future-proof network integration.
- Innovative push-key lock including 2 keys with key number, convenient locking without a key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape - even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- The uprights are made of 60.3 mm stainless steel V2A 1.4301, polished for screw mounting or setting in concrete.

#### Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

## Product properties

<b>Series</b>	GRIMM
<b>Connection technology</b>	2-wire, LAN
<b>Number of bell push buttons</b>	1 button
<b>Functions</b>	Camera, Intercom
<b>Mounting type</b>	Free-standing
<b>Material</b>	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
<b>House number</b>	House number as laser cut, illuminated
<b>Name labelling</b>	Laser-engraved
<b>Removal of mail</b>	On the front
<b>Number of boxes</b>	with 1 letterbox
<b>Surface/colour</b>	Brushed
<b>Boxes by volume</b>	Large > 16 litres

## Dimensions

<b>Height of single box in mm</b>	460,0
<b>Width of single box in mm</b>	610,0
<b>Capacity in litres</b>	26,0
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	325,0
<b>Height of letterbox in mm</b>	510,0
<b>Width of letterbox system in mm</b>	610,0
<b>Overall height in mm</b>	1200,0   1500,0   1700,0 +30
<b>Total width in mm</b>	610,0
<b>Depth in mm</b>	150,0
<b>Weight in kg</b>	41
<b>Delivery condition</b>	Supplied in blocks, stand elements / letterbox divided

## More images



