


ORDO modular socket column for free-standing installation - 411 mm - RAL 9007 grey aluminium | RAL 9007 grey aluminium fine structure matt | 3-fold

Product number 376-3-9007



Product description

ORDO modular socket column for free-standing installation

The **ORDO** modular socket column is a functional and durable solution for a reliable power supply in outdoor areas. It is suitable for use in gardens, on terraces, on campsites, in residential complexes and in commercial or public areas. Thanks to its clear design language and robust construction, the socket column can be used in a variety of ways.

Made of **galvanised steel** and **powder-coated** to a high quality, the socket pillar offers long-lasting protection against corrosion and the effects of the weather. An integrated rain cover additionally protects the sockets from direct moisture. Production takes place at Briefkasten Manufaktur in Germany and stands for precise craftsmanship and quality "Made in Germany".

The ORDO socket pillar is available in **two heights** and can therefore be optimally adapted to the respective area of use. The modular design enables customised equipping and subsequent adaptation or extension of the socket outlet inserts.

- Socket outlet pillar made of galvanised steel, powder-coated in RAL 9007 grey aluminium fine structure matt.
- German quality production at Briefkasten Manufaktur ("Made in Germany").
- Integrated rain cover to protect against the weather.
- Modular design for individual configuration, e.g. with CEE or Schuko sockets or prepared modules for your own switch programmes.
- Socket outlet modules protected at the rear by high-quality plastic housing.
- Available in two heights:
 - Height approx. 400 mm with up to 3 modules
 - Height approx. 800 mm with up to 6 modules
- Simple and well thought-out installation: Fix the column to the floor, wire it, slide in the front panel and screw it in place.

Product properties

Material Steel, galvanised, Stainless steel V2A 1.4301


Mounting type Free-standing

Surface/colour RAL 9007 grey aluminium

Dimensions

Width in mm	134,5
Height in mm	411
Total width in mm	134,5
Depth in mm	90 105
Weight in kg	4
Delivery condition	Supplied fully assembled

Drawing



More images

