

Surface-mounted letterbox design BASIC 382A AP with bell box & newspaper compartment - stainless steel RAL 7016 anthracite grey | Bi-colour polished stainless steel | RAL 7016 anthracite grey

Product number 382A-7016VA-1-SP-ZF



Product description

Surface-mounted letterbox design BASIC 382A AP with bell box & newspaper compartment - stainless steel RAL 7016 anthracite grey

High-quality surface-mounted letterbox made in Germany by Briefkasten Manufaktur.

The letterboxes are made of galvanised steel, powder-coated in RAL colour fine structure matt, the flap is made of weather-resistant stainless steel V2A, polished. The very high-quality workmanship and the well thought-out concept make this letterbox our top seller. A rain drainage edge for optimum water protection, rubber bumpers for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this letter box. This letterbox is easy to clean and robust.

The design of your entrance area will be perfect if you combine it with the self-adhesive stainless steel house number (not included, see accessories).

- **Surface-mounted letterbox with letterboxes made of galvanised sheet steel, powder-coated in RAL colour fine structure matt**
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- Newspaper compartment, open on both sides, made of V2A stainless steel, polished. Dimensions: 355x100x100mm.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Stainless steel flap, polished with noise-absorbing rubber buffers for very quiet posting.
- The doors can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder.
- Incl. side cladding + rain cover made of V2A stainless steel, powder-coated in RAL colour.
- For wall mounting incl. fixing material (screws + plugs).
- **Intercom bell part made of galvanised sheet steel, powder-coated in RAL colour fine structure matt**
- Speech perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in scope of delivery). Also available without speech perforation.
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push button type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).
- Anti-vandalism - The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

The mail is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Product properties

Material	Steel, galvanised, Stainless steel V2A 1.4301
Series	BASIC
Functions	Newspaper compartment, Light button, Camera, Intercom
Functional box prepared for manufacturer	GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald, Legrand Bticino, Comelit
Boxes by volume	Normal > 10 litres
Name labelling	Nameplate
House number	House number as laser engraving
Surface/colour	RAL 7016 anthracite grey, Brushed
Removal of mail	On the front
Number of boxes	with 1 letterbox
Mounting type	Surface-mounted

Dimensions

Height of single box in mm	330,0
Width of single box in mm	355,0
Capacity in litres	12
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Height of letterbox in mm	530,0
Width of letterbox system in mm	355,0
Depth in mm	100,0
Weight in kg	12

More images



