

Stainless steel design letterbox DESIGNER Organic | Surface-mounted box 100mm for fence mounting (without perforation)

Product number 523RA-AP100Z



Product description

Stainless steel design letterbox DESIGNER Organic

High-quality surface-mounted or flush-mounted letterbox from Briefkasten Manufaktur. A real eye-catcher among the letterboxes. Organic lines and no-frills design characterise the Organic designer letterbox. With its flush-fitting design, this letterbox is ideal for sophisticated living situations.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Designer stainless steel surface-mounted or flush-mounted letterbox made of 2 mm stainless steel V2A, 240 grain polished.
- 16 litre volume, with optional letterbox depth up to 23 litre capacity.
- No visible screws or rivets.
- Front mail removal door 240 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Post insertion from the front, insertion size W 24 cm x H 3.5 cm suitable for C4 high.
- With built-in damping elements that allow the flap to close slowly and quietly.
- Front panel dimensions: W 37 cm x H 57 cm x D 0.2 cm. ATTENTION: The front panel protrudes 3 cm all round, even with surface-mounted box.
- Rear dimensions: W 31 cm x H 51 cm x D 10 cm / 15 cm.
- Optional name labelling, lasered approx. 10 mm high.
- Optional house number labelling, lasered approx. 100 mm high.
- Water protection plate inside.
- Incl. cleaning cloths and installation aid.


Product properties

Series	DESIGNER
Material	Aluminium AlMg3 W19, Stainless steel V2A 1.4301
House number	House number as laser engraving
Mounting type	Fence
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 1 letterbox
Surface/colour	Brushed
Boxes by volume	Large > 16 litres

Dimensions

Height of single box in mm	510,0 570,0
Width of single box in mm	310,0 370,0
Capacity in litres	16,0 23,0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	240,0
Depth in mm	100,0 150,0
Weight in kg	12
Delivery condition	Lieferung erfolgt komplett montiert

Drawing



More images

