

# Stainless steel free-standing letterbox designer model BIG ST-R - GIRA System 106 on the side - 3-gang prepared | Right

Product number 592D-B-STR-V-GI106-R



### Product description

# Stainless steel free-standing letterbox designer model BIG ST-R - GIRA System 106 on the side - 3-gang prepared

High-quality free-standing letterbox from the Briefkasten Manufaktur brand in an extra-large format. The Gira System 106 can be used seamlessly in a flush-mounted design. The preparation is intended for 3 GIRA 106 system modules. The modules can be flush-mounted using the simple mounting system (surface-mounted housing 5503910 required!).

This is a real eye-catcher among letterboxes. Clear lines and no-frills design characterise the designer letterbox with GIRA System 106. Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Designer stainless steel free-standing letterbox made of 2mm stainless steel V2A 1.4301, 240 grain polished; dimensions of individual box: height 550 mm; width: 600 mm; depth 100 mm.
- Front mail removal door 320 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 32 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing. Attention, no removal protection!
- With built-in damping elements that allow the flap to close slowly and quietly.
- The stand elements are made of 60.0 mm V2A stainless steel 1.4301, polished for screw mounting or setting in concrete. Invisible cable routing through the uprights.
- WITHOUT GIRA system components!

#### Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

#### Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. In certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.



## **Product properties**

**Series** DESIGNER

Functions Newspaper compartment

Functional box prepared for manufacturer GIRA

Mounting type Free-standing

Material Stainless steel V2A 1.4301

Removal of mail On the front
Number of letterboxes with 1 letterbox
Surface/colour Brushed

Boxes by volume Large > 16 litres

#### **Dimensions**

 Height of single box in mm
 510,0 | 550,0

 Width of single box in mm
 560,0 | 600,0

Capacity in litres 21
Height of letterbox slot in mm 63,0
Width of letter slot in mm 320,0

**Overall height in mm** 1200,0 | 1500,0

 Total width in mm
 720,0

 Depth in mm
 100,0

 Weight in kg
 35

**Delivery condition** Supplied in blocks, stand elements / letterbox divided



# More images





















