

14er 5x3 stainless steel surface-mounted letterbox design BASIC Plus 382XA AP - RAL of your choice | 150mm depth | ? Colour of your choice | Close-fitting cladding with mounting rail | with 14 letterboxes (5x3)

Product number 382XA-14W-150



## Product description

# 14er 5x3 stainless steel surface-mounted letterbox design BASIC Plus 382XA AP - RAL of your choice

High-quality surface-mounted letterbox for 14 parties made in Germany by Briefkasten Manufaktur.

The complete surface-mounted letterbox system is made of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this letterbox system our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this surface-mounted letterbox system.

Thanks to the design, self-assembly is straightforward. The letterbox system is prepared for uncomplicated complete installation, so there is no need for time-consuming wall mounting of individual boxes.

- 14-point surface-mounted letterbox system with letterboxes made of V2A stainless steel, powder-coated in RAL colour.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flaps with sound-absorbing rubber seal for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder for each letterbox.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Incl. side cladding + rain cover made of V2A stainless steel, powder-coated in RAL colour.
- For wall mounting incl. mounting rail and fixing material (screws + dowels).

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.



### **Product properties**

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice

(according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

**Series BASIC** Name labelling Nameplate

Material Stainless steel V2A 1.4301

Removal of mail On the front Boxes by Large > 16 litres volume

Number of with 14 letterboxes

**boxes** 

Mounting type Surface-mounted

#### **Dimensions**

Height of single box in mm 330,0 Width of single box in mm 355,0 Capacity in litres 12,0 | 17,0 Height of letterbox slot in mm 35.0 Width of letter slot in mm 325,0 Height of letterbox in mm 990,0 Width of letterbox system in mm 1775,0 Depth in mm 100,0 | 150,0

Weight in kg 68

**Delivery condition** System is delivered pre-assembled/partially disassembled



# More images















