


# Stainless steel front panel for flush-mounted installation of GIRA System 106 - 2-gang prepared - Horizontal | Gira System 106 prepared | Horizontal | 2-fold | Stainless steel, ground

Product number 527-UP-2-V-GI106-W



## Product description

### Stainless steel front panel for flush-mounted installation of GIRA System 106 - 2-gang prepared

This cover is used for flush-mounted installation of the GIRA System 106. The Gira System 106 can be used seamlessly in a flush-mounted design. The preparation is intended for 2 GIRA 106 system modules. The modules can be flush-mounted using the simple mounting system (GIRA surface-mounted housing 5502910 required!).

- Front panel made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Invisible fixing with bolts on the back.
- Recommended cut-out dimensions: H 255mm x W 145mm x D 50mm.
- Optionally vertical or horizontal, so that the grinding pattern of the GIRA modules is suitable.
- **WITHOUT GIRA system components!**

## Important information

Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

## Product properties

Functional box prepared for manufacturer	GIRA
Material	Stainless steel V2A 1.4301
Surface/colour	Brushed
Mounting type	Flush-mounted

## Dimensions

Width in mm	190
Height in mm	300
Depth in mm	35,0
Weight in kg	2
Delivery condition	Delivery is assembled



## More images

