

# Freestanding XXL parcel box GOETHE with 1 letterbox and DoorBird video intercom system right - lock system - RAL of your choice | Right | DoorBird | with 1 letterbox | mail collection at the front

Product number 215-STL-PK600-1BK-SPR-DB



## Product description

# Free-standing XXL GOETHE parcel box with 1 letterbox and DoorBird video intercom system on the right - lock system - RAL of your choice

Parcel delivery has changed dramatically in recent years - today, customers expect more flexibility and security than ever before. With the **GOETHE parcel letterbox** from Briefkasten Manufaktur, you can rely on an optimum combination of innovative technology and outstanding design, manufactured from high-quality stainless steel and aluminium, powder-coated in the colour of your choice. A **DoorBird IP video door station** is integrated, offering a smart solution for your entrance door. It can be operated as a stand-alone unit or integrated into an existing smart home platform. Classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and conveniently controlled via an app on a smartphone or tablet.

The **letterbox** (BH 400x400 mm) is made of stainless steel (non-rusting, magnetic stainless steel), powder-coated in a RAL colour of your choice. It is equipped with an innovative push-key lock that locks in the same way as the parcel box and is supplied with ten keys. Mail is inserted and removed from the front. The insertion flap is fitted with high-quality axle dampers, allowing the mail to be inserted particularly quietly. The letterbox complies with **DIN/EN 13724** with an insertion size of 3.5 x 36.0 cm - sufficient for C4 envelopes in landscape format without them being creased. The removal door opens downwards so that the mail cannot fall towards you. The dimensions of the letterbox allow a capacity of approx. 64 litres. The innovative push-key lock is discreetly concealed inside: simply insert the key - without turning it - and the door opens.

The spacious **parcel box** (BH 600x1200 mm) is also made of stainless steel, powder-coated in a RAL colour of your choice. It has a volume of 192 litres and enables the delivery of parcels up to a size of 555 x 375 x 305 mm (WD), which corresponds to DHL parcel size L. The parcel flap is damped and closes particularly quietly. Thanks to the specially developed delivery gate, your parcel is automatically transported into the secure removal box after insertion. The lock is immediately ready for further deliveries and remains isolated from the removal box - so your parcels are optimally protected at all times. Any delivery company (e.g. DHL, DPD, TNT, GLS, Hermes) can use the parcel letterbox. Depending on the placement, up to four size M DHL parcels can even fit inside.

Briefkasten Manufaktur attaches great importance to high-quality materials. Stainless steel ensures extremely high corrosion resistance and an elegant surface finish. Quality assurance begins with the selection of our raw material suppliers and only ends when the parcel letterbox reaches you in the required quality. Put your trust in the **GOETHE parcel letterbox** - a secure, flexible and stylish solution for your post and parcel deliveries. A product that combines traditional craftsmanship with state-of-the-art technology - Made in Germany by Briefkasten Manufaktur Lippe.



- High-quality parcel letterbox made of stainless steel and aluminium, powder-coated in the colour of your choice.
- Quality production Made in Germany by Briefkasten Manufaktur Lippe.
- Letterbox (BH 400x400mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL colour of your choice with stainless steel laser inscription pictogram "BRIEF".
- 2 innovative push-key locks with 10 keys, keyed alike.
- Mail is inserted and removed from the front. Insertion flap with high-quality axle dampers for very quiet mail insertion.
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 36.0 cm) for C4 across, even large letters fit in here without creasing.
- Removal door opens from top to bottom. This prevents the mail from falling towards you.
- Parcel box (BH 600x1200mm) made of stainless steel 1.4016 (non-rusting magnetic stainless steel), powder-coated in RAL of your choice with stainless steel laser inscription pictogram "PAKET".
- Parcel compartment volume: 192 litres, max. Parcel dimensions: 555 x 375 x 305 mm (WD), corresponding to parcel size L.
- Parcel flap with damping for quiet closing.
- Function box (BH 200x400mm) made of stainless steel 1.4016 (stainless magnetic stainless steel), powder-coated in RAL colour of
- DoorBird IP video door station installed.
- Optimum rain protection thanks to rain guard edges and a rain cover made of 3mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Side cladding made of 3mm aluminium AlMg3 W19, powder-coated in RAL of your choice.
- Rear panel made of 1mm stainless steel 1.4301 V2A, powder-coated in RAL of your choice.
- Base made of 40x40x2mm stainless steel tube 1.4301 V2A, powder-coated in RAL of your choice.
- Invisible fastening and cable routing in the pedestal. The overall height is 1.65 m.

#### Important information

#### Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

# Product properties

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of

your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

Series **GOETHE** Connection technology 2-wire, LAN Number of bell push 1 button

**buttons** 

**Functions** Newspaper compartment, Camera, Intercom, Fingerprint, Keypad, Parcel compartment

Functional box prepared for DoorBird

manufacturer

**Material** Aluminium AlMg3 W19, Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic

stainless steel)

Mounting type Free-standing

House number House number as laser engraving

Name labelling Laser-engraved Removal of mail On the front **Number of boxes** with 1 letterbox Boxes by volume Jumbo > 30 litres

Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck Ust.ID.Nr. DE303690847 Handelsregister Amtsgericht Lemgo, HRB 8618



#### **Dimensions**

Height of single box in mmBK 400.0 | PK 1200.0Width of single box in mmBK 400.0 | PK 600.0Capacity in litresBK 64.0 | PK 192.0

Height of letterbox slot in mm 35,0
Width of letter slot in mm 360,0
Overall height in mm 1650,0
Total width in mm 608,0


**Depth in mm** 400.0 + 25.0 Rain roof


Weight in kg 69


**Delivery condition** Delivery is assembled



### Drawing









# More images

