

# Stainless steel fence letterbox HESSE 308 - removal from the rear

Product number 308-ZM



## Product description

### Stainless steel fence mailbox HESSE 308, removal from the rear

Ideal as a fence mailbox, it is inserted from the front and removed from the back. Manufactured by Briefkasten Manufaktur. The artisan when it comes to letterboxes. The removal door is equipped with a practical Plexiglas viewing window.

- Letterbox made of 1 mm high-quality, weather-resistant stainless steel V2A 1.4301, polished.
- Rear door with Plexiglas viewing window for viewing & opening limiter.
- Mail is removed from the rear, removal flap opens from top to bottom.
- Mail is inserted from the top.
- The box complies with DIN/EN, C4 crosswise insertion. Even large letters fit in here without creasing.
- The scope of delivery includes 2 keys and an engravable name plate to stick on.
- Optional name labelling, laser-engraved approx. 10-20 mm high.
- Optional house number lettering, laser-engraved approx. 60-80mm high.
- Suitable for fence mounting, holes can be punched at the side (pre-punched & sealed).

#### Important information:

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

## Product properties

<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser engraving
<b>Mounting type</b>	Fence
<b>Name labelling</b>	Laser-engraved
<b>Number of letterboxes</b>	with 1 letterbox
<b>Surface/colour</b>	Brushed
<b>Boxes by volume</b>	Large > 16 litres
<b>Removal of mail</b>	On the back

## Dimensions

<b>Height of single box in mm</b>	353,0
<b>Width of single box in mm</b>	360,0
<b>Capacity in litres</b>	17
<b>Height of letterbox slot in mm</b>	34,0
<b>Width of letter slot in mm</b>	327,0
<b>Depth in mm</b>	135,0
<b>Weight in kg</b>	8
<b>Delivery condition</b>	Supplied fully assembled

## More images

