

# 4 flush-mounted letterbox system BASIC - Edition NELLY - BI-Color VA-RAL 7016 anthracite grey | with 4 letterboxes

**Product number** 382U-7016VA-BS-4



## Product description

### Flush-mounted letterbox system BASIC - Edition NELLY - BI-Color VA-RAL 7016 anthracite grey

*"Everything begins with longing."* - Nelly Sachs

Experience a combination of outstanding quality and modern design with the Edition NELLY flush-mounted letterbox system. This letterbox system, manufactured in Germany, is made of high-quality stainless steel V2A and letterboxes made of galvanised steel, which are powder-coated in the elegant RAL colour 7016 anthracite grey. The careful workmanship and well thought-out concept make it one of our best-selling products.

The NELLY flush-mounted letterbox system offers numerous advantages that make everyday life easier and keep mail safe. A rain drainage edge ensures optimum water protection, while the continuous rubber lip enables quiet insertion. The solid interchangeable nameplate, the practical post holder and the robust lock guarantee a high level of functionality and security.

The solid plaster cover frame made of stainless steel angle profile 25 x 58 mm, manufactured from 1.5 mm thick stainless steel V2A 1.4301, impresses with its elegant design and provides an easy-to-install base.

The system complies with DIN/EN 13724 standards and offers a generous insertion size of 3.5 cm x 32.5 cm, so that even large letters can be inserted without creasing. The polished stainless steel flaps are fitted with a noise-absorbing rubber seal, which ensures quiet and convenient posting. Each letterbox system is supplied with 2 keys, a changeable nameplate and a post holder for each letterbox.

A special highlight is the upper plaster cover frame, which can be customised with your own lettering. This elegant and unique display of your street name and/or house number gives the system a personal touch and is also easy to clean.

Every NELLY letterbox system is manufactured in our factory in Germany with the utmost precision and care. The products from Briefkasten Manufaktur stand for German quality workmanship and durability. Invest in the NELLY free-standing letterbox system and benefit from a functional and aesthetic design that fits perfectly into modern residential complexes.

- High-quality flush-mounted letterbox system, powder-coated in RAL 7016 anthracite grey fine structure matt.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes are made of galvanised steel and comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, even large letters fit in here without creasing.
- Insertion flaps made of stainless steel V2A 1.4301, 240 grit polished with noise-absorbing rubber seal for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder per letterbox.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour, optionally with your lettering.

#### Important information:

Mail is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still get in (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


## Product properties

<b>Material</b>	Steel, galvanised, Stainless steel V2A 1.4301
<b>Series</b>	BASIC
<b>Boxes by volume</b>	Normal > 10 litres
<b>Number of boxes</b>	with 4 letterboxes
<b>Name labelling</b>	Nameplate
<b>House number</b>	House number as laser engraving
<b>Surface/colour</b>	RAL 7016 anthracite grey, Brushed
<b>Removal of mail</b>	On the front
<b>Mounting type</b>	Flush-mounted

## Dimensions

<b>Height of single box in mm</b>	330,0
<b>Width of single box in mm</b>	355,0
<b>Capacity in litres</b>	12,0
<b>Height of letterbox slot in mm</b>	35,0
<b>Width of letter slot in mm</b>	325,0
<b>Height of letterbox in mm</b>	822,0
<b>Width of letterbox system in mm</b>	763,0
<b>Depth in mm</b>	100,0
<b>Weight in kg</b>	27
<b>Delivery condition</b>	Supplied fully assembled

## Drawing



## More images

