

# 1 stainless steel surface-mounted letterbox design BASIC Plus 382XA AP - RAL of your choice | 100mm depth | ? Colour of your choice | with 1 letterbox | Close-fitting cladding with mounting rail

**Product number** 382XA-S1-100



## Product description

### 1-piece stainless steel surface-mounted letterbox design BASIC Plus 382XA AP - RAL of your choice

High-quality surface-mounted letterbox for 1 party made in Germany by Briefkasten Manufaktur.

The complete surface-mounted letterbox is made of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this letterbox our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this surface-mounted letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Single surface-mounted letterbox made of V2A stainless steel, powder-coated in RAL colour.
- The letterbox is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letter box complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber seal for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder for each letterbox.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Incl. side cladding + rain cover made of V2A stainless steel, powder-coated in RAL colour.
- For wall mounting incl. fixing material (screws + dowels). For fence mounting, also available without rear perforation (perforation must be provided by customer).

#### Important information:

The post is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

|                        |                                                                                                                                                                                        |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Surface/colour</b>  | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| <b>Series</b>          | BASIC                                                                                                                                                                                  |
| <b>Boxes by volume</b> | Normal > 10 litres                                                                                                                                                                     |
| <b>Name labelling</b>  | Nameplate                                                                                                                                                                              |
| <b>Material</b>        | Stainless steel V2A 1.4301                                                                                                                                                             |
| <b>House number</b>    | House number as laser engraving                                                                                                                                                        |
| <b>Removal of mail</b> | On the front                                                                                                                                                                           |
| <b>Number of boxes</b> | with 1 letterbox                                                                                                                                                                       |
| <b>Mounting type</b>   | Surface-mounted                                                                                                                                                                        |

## Dimensions

|                                       |               |
|---------------------------------------|---------------|
| <b>Height of single box in mm</b>     | 330,0         |
| <b>Width of single box in mm</b>      | 355,0         |
| <b>Capacity in litres</b>             | 12,0   17,0   |
| <b>Height of letterbox slot in mm</b> | 35,0          |
| <b>Width of letter slot in mm</b>     | 325,0         |
| <b>Depth in mm</b>                    | 100,0   150,0 |
| <b>Weight in kg</b>                   | 7             |

## More images



