

9-point stainless steel free-standing letterbox Design BASIC Plus 385XP ST-T -RAL of your choice | ? Colour of your choice | 300x220x385 mm (WxHxD) - ???? Large 25 litres | with 9 letterboxes

Product number 385XP220-9



#### Product description

# 9-point stainless steel free-standing letterbox Design BASIC Plus 385XP ST-T - RAL colour of your choice

Modern free-standing letterbox with extra-large letterboxes for 9 parties made in Germany by Briefkasten Manufaktur.

The letterboxes are made of stainless steel V2A, powder-coated in RAL colour, the stand elements are made of anodised aluminium profile, powder-coated in RAL colour and are solidly manufactured and at the same time very elegant. A close-fitting side cladding with rain roof and the rain drainage channels for optimum water protection, a stainless steel V2A, powder-coated in RAL colour, with rubber lip, the solid changeable nameplate and the robust lock characterise this free-standing letterbox. This letterbox is easy to clean and robust.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- 9-post letterbox completely powder-coated in RAL colour
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes made of stainless steel V2A, powder-coated in RAL colour comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, even large letters fit in here without creasing.
- Insertion flaps made of stainless steel, powder-coated with sound-absorbing rubber lip for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap per letterbox.
- Incl. close-fitting side cladding + rain cover made of V2A stainless steel, powder-coated in RAL colour.
- The stand elements are made of aluminium profile, powder-coated in RAL colour for screw mounting or setting in concrete.

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

## **Product properties**

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white Series BASIC Number of with 9 letterboxes boxes Name labelling Nameplate Material Aluminium AIMg3 W19, Stainless steel V2A 1.4301 Free-standing Mounting type Removal of mail On the front Large > 16 litres Boxes by volume

## Dimensions


Height in mm	1
Height of single box in mm	220,0
Width of single box in mm	300,0
Capacity in litres	25
Height of letterbox slot in mm	35,0
Width of letter slot in mm	265,0
Height of letterbox in mm	660,0
Width of letterbox system in mm	900,0
Overall height in mm	1200,0   1600,0
Total width in mm	1000,0
Depth in mm	435,0
Weight in kg	64
Delivery condition	Supplied in blocks, stand elements / letterbox divided

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110




#### Drawing

Montagebohrungen



1053



Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110



#### More images



www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110





www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110





www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110