

#### 2-piece stainless steel free-standing letterbox Design BASIC Plus 381X ST-R with bell box & Design BASIC Plus 381X ST-R with bell box & Design BASIC Plus 381X ST-R with bell box & Design BASIC Plus 381X ST-R with bell box & Design BASIC Plus 381X ST-R with bell box & Design BASIC Plus 381X ST-R with bell box & Design BASIC Plus 381X ST-R compartment - RAL | 150mm depth | ? Colour of your choice | with 2 letterboxes

Product number 381X-2-SP-ZFG-150



## Product description

# 2-piece stainless steel free-standing letter box system Design BASIC Plus 381X ST-R with bell box for bell intercom & newspaper compartment - RAL of your choice

Modern free-standing letterbox for 2 parties - made in Germany by Briefkasten Manufaktur.

The letterboxes are made of stainless steel V2A, powder-coated in RAL colour, the stand elements are made of weather-resistant stainless steel V2A, polished. The very high-quality workmanship and the well thought-out concept make this free-standing letterbox our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this free-standing letterbox. The side panelling with protruding rain cover made of V2A stainless steel offers optimum protection against the weather and guarantees a very long service life.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- · 2-post letterbox made of V2A stainless steel, powder-coated in RAL colour
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber seal for very guiet mail insertion.
- The door can be opened from left to right.
- Newspaper compartment with door and toggle lock, powder-coated in RAL colour. Laser inscription "ZEITUNG" in contrasting colour. Dimensions: 355x165x100mm.
- Incl. 2 keys with key number, changeable name plate (type 2) under the flap and post holder.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Incl. side cladding + rain cover made of V2A stainless steel, powder-coated in RAL colour.
- Bell box made of V2A stainless steel, powder-coated in RAL colour fine structure matt
- Speech perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in scope of delivery). Also available without speech perforation.
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell button, max. switching capacity: 5A @ 250V AC, IP 65 (pressure force limitation).
- Anti-vandalism The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.
- Cable access: Ø 10.4 mm (lateral). Invisible cable routing through the stand element.
- The stand elements are made of 42.4 mm V2A stainless steel 1.4301, polished for screw mounting or setting in concrete.



#### Important information

#### Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

#### Water protection

The mail is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## **Product properties**

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of

your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white

**Series** BASIC

Number of bell push

buttons

1 button, 2 buttons, 3 buttons

Functions Newspaper compartment, Light button, Camera, Intercom

Functional box prepared

for manufacturer

GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald,

Legrand Bticino, Comelit

Name labellingNameplateMounting typeFree-standing

Material Stainless steel V2A 1.4301

Number of letterboxeswith 2 letterboxesRemoval of mailOn the frontBoxes by volumeLarge > 16 litres

### Abmessungen

Height of single box in 330,0

mm:

Width of single box in 355,0

mm:

Capacity in litres: 12 Height of letterbox slot 35,0

in mm:

Width of letter slot in

325,0

mm:

Height of letterbox in 595,0

mm:

Width of letterbox

system in mm:

355,0

Overall height in mm: 1200,0 | 1500,0

Total width in mm: 535,0

**Depth in mm:** 100,0 | 150,0

Weight in kg: 21

**Delivery condition:** Supplied in blocks, stand elements / letterbox divided

Shipping information: Depending on the order volume, delivery will be by parcel post or bulky goods. Partial deliveries are

possible for dismountable products (e.g. stand mailboxes can be shipped separately).

Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck Ust.ID.Nr. DE303690847 Handelsregister Amtsgericht Lemgo, HRB 8618



## More images























