

Design free-standing letterbox GRIMM ST-R - Colour of your choice - GIRA System 106 - 3-gang prepared right | Right | Gira System 106 prepared | ? Colour of your choice | mail collection at the front

Product number 562-STR-SPR-1-SF-GI106V



Product description

Design free-standing letterbox GRIMM® - A masterpiece of letterbox manufacturing

The GRIMM designer free-standing letterbox combines modern design with first-class workmanship - ideal for discerning building owners and architects who are looking for an elegant solution for integrating the Gira System 106. Manufactured from high-quality stainless steel and completely "Made in Germany" by the letterbox manufacturer Lippe, this model stands for durability, functionality and a stylish look. The powder-coated front panel made of 2 mm stainless steel V2A (1.4301) in the colour of your choice impresses with its timeless appearance and high corrosion resistance. The flush-mounted design enables seamless integration of up to three GIRA 106 system modules (not included in the scope of delivery) via a sophisticated mounting system. The optional surface-mounted housing (5503910) is required for mounting the Gira components.

The free-standing GRIMM® letterbox is not only a visual highlight, but also at the forefront in terms of functionality and quality. Thanks to the innovative push-key lock, the letterbox can be operated easily and conveniently with one hand. Open the door with one push and close the door without using a key. The lock is optimally protected from the weather. The letterbox also offers an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall towards you. Mail is also conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently. The GRIMM is particularly unique thanks to its double box system: the body made of powder-coated stainless steel V2A (##########) is installed first, while the cover can be inserted once the installation work is complete. The offset cover also offers optimum protection against rain and other environmental influences.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality.

- High-quality free-standing letterbox made entirely of stainless steel, powder-coated in RAL colour of your choice.
- Front panel made of 2 mm stainless steel V2A 1.4301, powder-coated in the colour of your choice.
- Quality production Made in Germany by Briefkasten Manufaktur Lippe.
- The Gira System 106 can be used seamlessly in a flush-mounted design. The preparation is intended for 3 GIRA 106 system modules. The modules can be flush-mounted using the simple mounting system (surface-mounted housing 5503910 required!). WITHOUT GIRA system components!
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very guiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- The uprights are made of 60.3 mm stainless steel V2A 1.4301, polished for screw mounting or setting in concrete.

Important information:

Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck Ust.ID.Nr. DE303690847 Handelsregister Amtsgericht Lemgo, HRB 8618



To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

Product properties

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice

(according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white

Series GRIMM

Functions Camera, Intercom

Mounting type Free-standing

Material Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)

House number House number as laser cut, illuminated

Name labelling Laser-engraved
Removal of mail On the front
Number of with 1 letterbox

boxes

Boxes by Large > 16 litres

volume

Dimensions

Height of single box in mm460,0Width of single box in mm610,0Capacity in litres26,0Height of letterbox slot in mm35,0Width of letter slot in mm325,0Height of letterbox in mm510,0Width of letterbox system in mm610,0

Overall height in mm 1200,0 | 1500,0 | 1700,0 +30

Total width in mm 610,0

Depth in mm 150,0

Weight in kg 41

Delivery condition Supplied in blocks, stand elements / letterbox divided



More images













