


# Stainless steel video door station DESIGNER 529S Elegance I - RAL of your choice - Comelit VIDEO complete set

**Product number** 529S-E-KSCSWIFI-1



## Product description

### Stainless steel video door station DESIGNER 529S Elegance I - RAL of your choice - Comelit VIDEO complete set

This simple yet elegant doorbell plate blends seamlessly into the building façade. The front plate made of stainless steel V2A 1.4301 in the colour of your choice is mounted on a 5 mm stainless steel frame and stands out slightly from the house wall. The Comelit video intercom system is an innovative solution with functions such as face recognition, voice commands and operation via smartphone app. Completely pre-programmed for easy installation - connect 2 wires and DONE! Optionally with gateway without home station or with WiFi home station.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- **EU compliant: COMELIT as a guarantee for your data** - the cloud server infrastructure belongs to COMELIT and is located in Europe (in Frankfurt, one of the most important financial centres in Europe and a major location for the data centre industry) and is managed in partnership with the world's most important cloud provider: Amazon AWS (Amazon Web Services).
- Front panel powder-coated in RAL colour of your choice.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Dimensions of the bell plate: W 160 mm x H 320 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 290 mm x D 50 mm
- Optionally for flush-mounted or surface-mounted installation.
- 8-12V DC short-stroke bell push-button with LED ring illumination in white.
- Optionally with name labelling approx. 10-20 mm high.
- Optionally with house number labelling approx. 60-80mm high.

## Important information

### Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

### Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	DESIGNER
<b>Connection technology</b>	2-wire
<b>Number of bell push buttons</b>	1 button
<b>Functions</b>	Camera, Intercom
<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser engraving
<b>Name labelling</b>	Laser-engraved
<b>Mounting type</b>	Surface-mounted, Flush-mounted

## Dimensions

<b>Width in mm</b>	130   160
<b>Height in mm</b>	290   320
<b>Depth in mm</b>	52,0
<b>Weight in kg</b>	4
<b>Delivery condition</b>	Delivery is assembled

## Drawing



## More images

