

# Stainless steel door station BASIC 529 Elegance I with bell & speech perforation - RAL of your choice | ? Colour of your choice

Product number 529-E-1



## Product description

### Stainless steel door station BASIC 529 Elegance I with bell & speech perforation - RAL of your choice

This simple yet elegant doorbell plate blends seamlessly into the building façade. The door station is made of 2 mm stainless steel V2A and the front panel is powder-coated in the colour of your choice. It includes a bell with LED ring lighting in white colour and a speech hole for built-in loudspeakers.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301, powder-coated in RAL fine structure matt.
- Front panel powder-coated in RAL colour of your choice.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Doorbell plate dimensions W 210 mm x H 350 mm.
- The body has the dimensions: W 180 mm x H 320 mm x D 60 mm.
- Incl. 4x screw cover caps made of stainless steel V2A, polished, so that the screws for fastening the front plate are not visible. See pictures.
- With speech perforation incl. metal gauze and universal adapter. Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- 8-12V DC short-stroke bell push-button with white LED ring lighting. The bell button lighting cannot be supplied via the control unit. It must be connected to an additional 8-12 V DC power supply.
- Optionally for flush-mounted or surface-mounted installation.

## Important information

### Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

### Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.

## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	BASIC
<b>Number of bell push buttons</b>	1 button
<b>Functions</b>	Intercom
<b>Material</b>	Stainless steel V2A 1.4301
<b>House number</b>	House number as laser engraving
<b>Name labelling</b>	Laser-engraved
<b>Mounting type</b>	Surface-mounted, Flush-mounted

## Dimensions

<b>Width in mm</b>	180   210
<b>Height in mm</b>	320   350
<b>Depth in mm</b>	60,0
<b>Weight in kg</b>	6
<b>Delivery condition</b>	Delivery is assembled

## More images



