

# 3er 3x1 stainless steel surface-mounted letterbox BASIC 382A AP with newspaper compartment | Stainless steel, ground | with 3 letterboxes

**Product number** 382A-VA-3S-ZF



## Product description

### 3er 3x1 stainless steel surface-mounted letterbox BASIC 382A AP with newspaper compartment

High-quality stainless steel surface-mounted letterbox for 3 parties made in Germany by Briefkasten Manufaktur.

The complete surface-mounted letterbox system is made of weather-resistant stainless steel V2A, polished. The very high-quality workmanship and the well thought-out concept make this stainless steel letterbox system our top seller. This stainless steel surface-mounted letterbox system is characterised by a rain drainage edge for optimum water protection, a double-edged throw-in flap with rubber buffer, the solid interchangeable nameplate, a practical post holder and the very robust lock.

Thanks to the design, self-assembly is straightforward. The letterbox system is prepared for uncomplicated complete installation, so there is no need for time-consuming wall mounting of individual boxes.

- 3 surface-mounted letterboxes made of weather-resistant V2A stainless steel 1.4301, polished.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flaps with noise-absorbing rubber buffers for very quiet insertion of mail.
- The doors can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder for each letterbox.
- Newspaper compartments, open on both sides, made of V2A stainless steel, polished. Dimensions: 355x100x100mm.
- Incl. rain cover made of stainless steel V2A 1.4301, 240 grain polished.
- For wall mounting incl. fixing material (screws + dowels).

#### Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

|                        |                            |
|------------------------|----------------------------|
| <b>Series</b>          | BASIC                      |
| <b>Functions</b>       | Newspaper compartment      |
| <b>Boxes by volume</b> | Normal > 10 litres         |
| <b>Name labelling</b>  | Nameplate                  |
| <b>Material</b>        | Stainless steel V2A 1.4301 |
| <b>Removal of mail</b> | On the front               |
| <b>Surface/colour</b>  | Brushed                    |
| <b>Mounting type</b>   | Surface-mounted            |
| <b>Number of boxes</b> | with 3 letterboxes         |

## Dimensions

|                                       |        |
|---------------------------------------|--------|
| <b>Height of single box in mm</b>     | 330,0  |
| <b>Width of single box in mm</b>      | 355,0  |
| <b>Capacity in litres</b>             | 12     |
| <b>Height of letterbox slot in mm</b> | 35,0   |
| <b>Width of letter slot in mm</b>     | 325,0  |
| <b>Height of letterbox in mm</b>      | 1290,0 |
| <b>Depth in mm</b>                    | 100,0  |
| <b>Weight in kg</b>                   | 25     |

## More images



