

1 surface-mounted letterbox Design BASIC Plus 382XA AP with bell box & Design BASIC newspaper compartment - stainless steel V2A | Stainless steel, ground

Product number 382XA-VA-1-SP-ZF



Product description

1-piece surface-mounted letterbox design BASIC Plus 382XA AP with bell box & newspaper compartment - polished V2A stainless steel

High-quality surface-mounted letterbox with newspaper compartment for 1 party made in Germany by Briefkasten Manufaktur.

The letterbox system is made entirely of polished V2A stainless steel. The very high-quality workmanship and the well thought-out concept make this letter box our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this surface-mounted letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Surface-mounted letterbox made of weather-resistant stainless steel V2A 1.4301, 240 grain polished
- The letterbox is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letter box complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber seal for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number, changeable name plate under the flap and post holder for each letterbox.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Incl. side panelling + rain cover made of stainless steel V2A 1.4301, 240 grain polished.
- Newspaper compartment, open on both sides, made of V2A 1.4301 stainless steel, 240 grit polished. Dimensions: 355x100x100mm.
- Optional house number labelling, lasered approx. 80-100mm high.
- Bell box made of stainless steel V2A 1.4301, 240 grain polished
- Speech perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in scope of delivery). Also available without speech perforation.
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push button type: Grothe Protact, max. 24 V AC/DC, 1.5 A, IP 54 (pressure force limitation).
- Anti-vandalism The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.
- For wall mounting incl. fixing material (screws + plugs). For fence mounting, also available without perforation on the back (perforation must be provided by the customer).



Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

The mail is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Product properties

Series BASIC

Functions Newspaper compartment, Light button, Camera, Intercom

Functional box prepared for GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner,

manufacturer Auerswald, Legrand Bticino, Comelit

Boxes by volume Normal > 10 litres

Name labelling Nameplate

Material Stainless steel V2A 1.4301

House number as laser engraving

Removal of mail On the front

Number of letterboxes with 1 letterbox

Surface/colour Brushed

Mounting type Surface-mounted

Dimensions

330,0
355,0
12
35,0
325,0
530,0
355,0
100,0
12



More images























