

Design letterbox pillar GRIMM - colour of your choice with Ekinex Dico IP video intercom right | Right | ? Colour of your choice | Ekinex DICO

Product number 562-STLPK-SPR-SF-EKX



Product description

Design letterbox parcel pillar GRIMM with Ekinex Dico IP video intercom - The premium solution for post & parcels

The GRIMM designer letterbox pillar combines modern design, high-quality workmanship and maximum flexibility. Made from **2 mm V2A stainless steel** and powder-coated in a **colour of your choice**, the pillar impresses with its timeless elegance and extreme robustness. Thanks to the **fully welded construction**, there are no visible screws or rivets, creating a particularly elegant appearance. The **letterbox and parcel box module** is also fitted with invisible screws - for an elegant look at the highest level.

Particularly practical: the modules can be replaced even after many years. This means that your letterbox parcel post remains flexible and future-proof at all times. This model is **manufactured by Briefkasten Manufaktur in Bad Salzuflen** - quality work "Made in Germany".

A special feature of the system is the tried-and-tested mechanical parcel lock with T-handle, which enables delivery without a delivery person: the delivery person places the parcel in the open compartment and locks it with a simple click. The compartment remains locked until the authorised user opens it with their key. A clever solution - without electronics, without an app, but with maximum security. Whether DHL, UPS, DPD, GLS, Hermes or TNT - any parcel service can use the parcel box. This means you can receive your parcels securely and conveniently at any time, even when you are not at home.

The seamless integration of the Ekinex IP Dico video intercom system with the Delégo panel in 4, 8 or 10 inch sizes is particularly noteworthy. This high-quality solution offers modern, IP-based door communication with touch operation, intelligent control and brilliant image and sound quality. Precise integration into the front panel creates a harmonious overall look - perfectly matched to the architecture of modern residential and commercial buildings. The Delégo panels enable convenient control directly at the door or centrally in the building and offer a wide range of options for building networking.

The GRIMM letterbox is not only a visual highlight, it is also at the forefront in terms of functionality and quality. Thanks to the innovative push-key lock, the letterbox can be operated easily and conveniently with one hand. Open the door with one push and close the door without using a key. The lock is optimally protected from the weather. The letterbox also offers an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall towards you. It can also be conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM letterbox impresses with its durable quality, timeless design and sophisticated functionality.

Letterbox module with function box - convenience and functionality

- Manufactured from 2 mm stainless steel V2A _1.4301, powder-coated in the colour of your choice.
- Integrated Ekinex video intercom system Dico IP door phone 5" (Artn.Nr. EK-5DP-VI) with Delégo panel, available in 4, 8 or 10 inch sizes.
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape - even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- Double box system: the front panel can be easily installed after completion of the construction work and replaced at any time.

Parcel box module - secure and spacious

- Manufactured from 2 mm stainless steel V2A _1.4301, powder-coated in the colour of your choice.
- Parcel volume: 130 litres - ideal for large consignments.
- Maximum parcel dimensions: 505 x 655 x 340 mm (W x H x D).
- Front parcel removal door 510 x 660 mm, opens from left to right.
- Door equipped with durable stainless steel hinges.
- Innovative T-handle parcel lock with snap-in catch.
- Includes 2 keys with key number.
- "PAKET" pictogram as stainless steel laser labelling.

Construction & details

- Fully welded upright made of 2 mm stainless steel V2A 1.4301, powder-coated in the colour of your choice.
- Overall height: 1.70 m.
- Invisible cable feed through the body possible.
- Base plate made of stainless steel (10 mm thick), concealed by elegant cover panel.
- No visible screws or rivets - seamless design.
- Modules can be replaced even years later - maximum future-proofing.

Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
Series	GRIMM
Connection technology	LAN
Number of bell push buttons	1 button, 2 buttons, 3 buttons, 4 buttons, 5 buttons, 6 buttons, 7 buttons, 8 buttons, 9 buttons, 10 buttons, 11 buttons, 12 buttons, up to 100 bell buttons, 13 buttons, 14 buttons, 15 buttons, 16 buttons, 17 buttons, 18 buttons, 19 buttons, 20 buttons, 21 buttons, 22 buttons, 23 buttons, 24 buttons
Functions	Camera, Intercom, Keypad, Monitor, Motion detector, Parcel compartment
Number of boxes	with 1 parcel box, with 1 letterbox
Functional box prepared for manufacturer	Ekinex
Mounting type	Free-standing
Material	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
Removal of mail	On the front
Boxes by volume	Large > 16 litres

Dimensions

Height of single box in mm	Letterbox 460.0 500.0 - Parcel box 710.0 750.0
Width of single box in mm	Letterbox 560.0 600.0 - Parcel box 560.0 600.0
Capacity in litres	Letterbox 26.0 Parcel box 130.0
Height of letterbox slot in mm	35,0
Width of letter slot in mm	325,0
Overall height in mm	1700,0
Total width in mm	Body 640.0 Base plate 730.0
Depth in mm	Body 352.0 Base plate 442.0
Weight in kg	95
Delivery condition	Delivery is assembled

Drawing



More images

