

# Design floor-standing letterbox GRIMM ST-R - colour of your choice with DoorBird video intercom system | DoorBird | ? Colour of your choice | Top | mail collection at the front

**Product number** 562-STR-SPO-1-SF-DB



## Product description

### Design free-standing letterbox GRIMM® colour of your choice with DoorBird video intercom - A masterpiece of letterbox manufacturing

The GRIMM designer free-standing letterbox combines modern design with first-class workmanship - ideal for discerning builders and architects looking for an elegant solution for integrating DoorBird. Manufactured from high-quality stainless steel and completely "Made in Germany" by the letterbox manufacturer Lippe, this model stands for durability, functionality and a stylish look. The powder-coated front panel made of 2 mm stainless steel V2A (#####) impresses with its timeless appearance and high corrosion resistance.

At the centre of this system is the DoorBird IP video door station, which can be optimally integrated into modern smart home solutions. It offers live video transmission, intercom function and mobile control via the DoorBird app. Whether at home or on the move - you can see and speak to visitors at your front door at any time using your smartphone. Classic components such as doorbells, electric door openers or door operators can be easily integrated and controlled via the system.

The freestanding GRIMM® letterbox is not only a visual highlight, but also at the forefront in terms of functionality and quality. Thanks to the innovative push-key lock, the letterbox can be operated easily and conveniently with one hand. Open the door with one push and close the door without using a key. The lock is optimally protected from the weather. The letterbox also offers an intelligent removal system: the door opens from top to bottom, ensuring that the mail remains securely in the box and cannot fall towards you. Mail is also conveniently inserted from the front, with high-quality axle dampers ensuring that the flap closes gently. The GRIMM is particularly unique thanks to its double box system: the body made of powder-coated stainless steel V2A (#####) is installed first, while the cover can be inserted once the installation work is complete. The offset cover also offers optimum protection against rain and other environmental influences.

Thanks to the DIN/EN 13724 standard, the GRIMM is ideal for large letters in C4 format, which can be inserted without creasing. The GRIMM® letterbox impresses with its durable quality, timeless design and sophisticated functionality.

- High-quality free-standing letterbox made entirely of stainless steel, powder-coated in RAL colour of your choice.
- Front panel made of 2 mm stainless steel V2A 1.4301, powder-coated in the colour of your choice.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- Incl. DoorBird IP video door station D1100E / D2100E with illuminated bell buttons or IP video door station D3100E with 7 inch display.
- Innovative push-key lock including 2 keys with key number, convenient locking without key, optimally protected from the weather.
- The removal door with opening limiter opens from top to bottom to prevent mail from falling towards you.
- Front mail slot with high-quality axle dampers for very quiet mail insertion.
- DIN/EN 13724-compliant letterbox, insertion size (3.5 cm x 32.5 cm) for C4 landscape - even large letters remain intact. Additional stainless steel removal protection integrated.
- Optimum weather protection thanks to offset cover.
- The uprights are made of 60.3 mm stainless steel V2A 1.4301, polished for screw mounting or setting in concrete.

### Important information:

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible.

The mail is only protected from water if it is completely placed in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to enter the letterbox. This system is protected against the ingress of water in accordance with DIN EN 13724. Water ingress is not a reason for complaint.

## Product properties

|                                    |                                                                                                                                                                                                 |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Surface/colour</b>              | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white |
| <b>Series</b>                      | GRIMM                                                                                                                                                                                           |
| <b>Connection technology</b>       | LAN                                                                                                                                                                                             |
| <b>Number of bell push buttons</b> | 1 button                                                                                                                                                                                        |
| <b>Functions</b>                   | Camera, Intercom                                                                                                                                                                                |
| <b>Mounting type</b>               | Free-standing                                                                                                                                                                                   |
| <b>Material</b>                    | Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)                                                                                                       |
| <b>House number</b>                | House number as laser cut, illuminated                                                                                                                                                          |
| <b>Name labelling</b>              | Laser-engraved                                                                                                                                                                                  |
| <b>Removal of mail</b>             | On the front                                                                                                                                                                                    |
| <b>Number of boxes</b>             | with 1 letterbox                                                                                                                                                                                |
| <b>Boxes by volume</b>             | Large > 16 litres                                                                                                                                                                               |

## Dimensions

|                                        |                                                        |
|----------------------------------------|--------------------------------------------------------|
| <b>Height of single box in mm</b>      | 460,0                                                  |
| <b>Width of single box in mm</b>       | 460,0                                                  |
| <b>Capacity in litres</b>              | 26,0                                                   |
| <b>Height of letterbox slot in mm</b>  | 35,0                                                   |
| <b>Width of letter slot in mm</b>      | 325,0                                                  |
| <b>Height of letterbox in mm</b>       | 760,0                                                  |
| <b>Width of letterbox system in mm</b> | 460,0                                                  |
| <b>Overall height in mm</b>            | 1200,0   1500,0   1700,0 +30                           |
| <b>Total width in mm</b>               | 460,0                                                  |
| <b>Depth in mm</b>                     | 150,0                                                  |
| <b>Weight in kg</b>                    | 41                                                     |
| <b>Delivery condition</b>              | Supplied in blocks, stand elements / letterbox divided |

## More images





