

Stainless steel surface-mounted parcel box BASIC 863 AP - Parcel compartment 550x370

Product number 863-A-1PB-VA



Product description

Stainless steel surface-mounted parcel box BASIC 863 AP - Parcel compartment 550x370

Receive parcels regardless of delivery company! Any parcel deliverer (e.g. DHL, DPD, TNT, GLS, Hermes, etc.) can use this parcel box. Sample garage contracts enclosed!

The parcel box is made of weather-resistant V2A stainless steel, polished. The very high-quality workmanship and the well thought-out concept make this letterbox system our top seller. A rain drainage edge for optimum water protection and the robust lock characterise this parcel box. This parcel box is easy to clean and robust.

Thanks to the design, self-assembly is uncomplicated.

- 1 party parcel box made of V2A stainless steel, polished.
- Parcel compartment 370x550x380 mm (WHT) incl. parcel lock with snap-in catch.
- Parcel compartment volume: 77 litres, max. Parcel dimensions: 340 x 520 x 350 mm (WHT).
- Parcel box door with three-point locking system including door reinforcement.
- Door incl. engraving with backing in white, text: "PAKET" vertically aligned, height of lettering approx. 250 mm.
- Close-fitting side panelling + rain cover made of 2 mm stainless steel V2A 1.4301, polished. With integrated rain edge projecting forwards, roof plate folded over side plates.
- Delivery includes mounting material for wall mounting.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still get in (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


Product properties

Surface/colour	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white
Boxes by volume	Normal > 10 litres
Material	Stainless steel V2A 1.4301
House number	House number as laser engraving
Name labelling	Laser-engraved
Removal of mail	On the front
Number of boxes	with 1 letterbox
Mounting type	Surface-mounted

Dimensions


Height of single box in mm	550,0
Width of single box in mm	370,0
Capacity in litres	77
Height of letterbox in mm	557,0
Width of letterbox system in mm	380,0
Depth in mm	390,0
Weight in kg	19
Delivery condition	The system is delivered fully assembled

More images





Funktionsprinzip des Paketschlusses: Fachbelegung



Paketentnahme



Zur Entnahme des Pakets öffnet der Empfänger das Schloss mit seinem Schlüssel.

