


# 11x3 stainless steel flush-mounted letterbox system BASIC Plus 382XU UP - RAL of your choice - 11 parties | 100mm depth | ? Colour of your choice | with 11 letterboxes (4x3)

**Product number** 382XU-11-100



## Product description

### 11x4x3 stainless steel flush-mounted letterbox system BASIC Plus 382XU UP - RAL of your choice - 11 parties

Modern flush-mounted letterbox for 11 parties - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this flush-mounted letterbox our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of V2A stainless steel is fitted with a foam rubber seal and guarantees a very long service life.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- 11 compartment flush-mounted letterbox system made entirely of stainless steel V2A 1.4301, powder-coated in RAL colour.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber seal for very quiet mail insertion.
- The door can be opened from left to right.
- Incl. 2 keys with key number, interchangeable nameplate (type 2) under the flap and post holder.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

#### Important information:

The mail is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

## Product properties

|                              |  |
|------------------------------|--|
| <b>Surface/colour</b>        | RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white |
| <b>Series</b>                | BASIC  |
| <b>Boxes by volume</b>       | Normal > 10 litres   |
| <b>Name labelling</b>        | Nameplate  |
| <b>Material</b>              | Stainless steel V2A 1.4301   |
| <b>Removal of mail</b>       | On the front   |
| <b>Number of letterboxes</b> | with 11 letterboxes  |
| <b>Mounting type</b>         | Flush-mounted  |

## Dimensions

|  |  |
|--|--|
| <b>Height of single box in mm</b>      | 330,0                                      |
| <b>Width of single box in mm</b>       | 355,0                                      |
| <b>Capacity in litres</b>              | 12,0   17,0                                |
| <b>Height of letterbox slot in mm</b>  | 35,0                                       |
| <b>Width of letter slot in mm</b>      | 325,0                                      |
| <b>Height of letterbox in mm</b>       | 1040,0                                     |
| <b>Width of letterbox system in mm</b> | 1470,0                                     |
| <b>Depth in mm</b>                     | 100,0   150,0                              |
| <b>Weight in kg</b>                    | 48   |
| <b>Delivery condition</b>              | Supplied partially disassembled (2 blocks) |

## More images



