

# Design video door intercom GOETHE UP with COMELIT Switch - VIDEO complete set - RAL of your choice

Product number 215-SP-UP-1-KSCSWIFI



## Product description

### Design video door intercom GOETHE UP with COMELIT Switch - VIDEO complete set - RAL of your choice

High-quality door station with a seamlessly integrated Comelit video intercom system. The modern GOETHE video door intercom system is ideal for demanding entrance areas. This state-of-the-art system offers advanced features including face recognition, voice control and convenient operation via smartphone app. Perfectly pre-programmed, it enables straightforward installation - just connect two wires and the system is ready to go! Depending on your needs, the set is available either with a gateway without a home station (home stations can be optionally extended) or with a WiFi-enabled home station to ensure maximum flexibility and customisation to your individual requirements.

The letterbox systems in the GOETHE collection are characterised by the consistent use of stainless steel. The result is very high durability and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts for all GOETHE systems are available directly in our shop.

Thanks to the design, self-assembly is uncomplicated.

#### Protected utility model according to DPMA file number DE: 20 2021 101 679.5

- Flush-mounted door station made entirely of stainless steel, powder-coated in RAL colour of your choice.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- **EU compliant: COMELIT as a guarantee for your data** - the cloud server infrastructure belongs to COMELIT and is located in Europe (in Frankfurt, one of the most important financial centres in Europe and a major location for the data centre industry) and is managed in partnership with the most important cloud provider in the world: Amazon AWS (Amazon Web Services).
- Functional box (BH 200x400mm) made of stainless steel 1.4016 (magnetic stainless steel), powder-coated in RAL colour of choice.
- Cover can be opened from top to bottom.
- 8-12V DC short-stroke bell push-button with white LED ring lighting.
- Optionally with name labelling approx. 10-20mm high.
- Optionally with house number labelling approx. 60-80mm high.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

## Important information

Camera or intercom preparation

**The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.**

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


## Product properties

<b>Surface/colour</b>	RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white
<b>Series</b>	GOETHE
<b>Connection technology</b>	2-wire
<b>Number of bell push buttons</b>	1 button
<b>Functions</b>	Camera, Intercom
<b>Functional box prepared for manufacturer</b>	Comelit
<b>Material</b>	Stainless steel V2A 1.4301, Stainless steel 1.4016 (non-rusting magnetic stainless steel)
<b>House number</b>	House number as laser engraving
<b>Name labelling</b>	Laser-engraved
<b>Mounting type</b>	Flush-mounted

## Dimensions

<b>Width in mm</b>	Outer dimension 250   installation dimension 203
<b>Height in mm</b>	External dimension 450   installation dimension 403
<b>Overall height in mm</b>	recommended 1400.0 - 1600.0
<b>Depth in mm</b>	100.0   installation dimension 98.5
<b>Weight in kg</b>	5
<b>Delivery condition</b>	Delivery is assembled

## Drawing



## More images

