

14 5x3 stainless steel flush-mounted letterbox system BASIC Plus 382XU UP -RAL of your choice - 14 parties | 100mm depth | ? Colour of your choice | with 14 letterboxes

Product number 382XU-14-100



Product description

14 5x3 stainless steel flush-mounted letterbox system BASIC Plus 382XU UP - RAL of your choice - 14 parties

Modern flush-mounted letterbox for 14 parties - made in Germany by Briefkasten Manufaktur.

The letterbox is made entirely of stainless steel V2A, powder-coated in RAL colour. The very high-quality workmanship and the well thought-out concept make this flush-mounted letterbox our top seller. A rain drainage edge for optimum water protection, a continuous rubber lip for quiet insertion, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this flush-mounted letterbox. The flush-mounted frame made of V2A stainless steel is fitted with a foam rubber seal and guarantees a very long service life.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- 14 compartment flush-mounted letterbox system made entirely of stainless steel V2A 1.4301, powder-coated in RAL colour.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes comply with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber seal for very quiet mail insertion.
- The door can be opened from left to right.
- Incl. 2 keys with key number, interchangeable nameplate (type 2) under the flap and post holder.
- Large capacity thanks to optional letterbox depth +50 mm = approx. 17 litres. Suitable for companies and households with very high mail volumes.
- Plaster cover frame made of stainless steel angle profile 25 x 58 mm, powder-coated in RAL colour.

Important information:

The mail is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110

Product properties

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white Series BASIC Boxes by Normal > 10 litres volume Name labelling Nameplate Material Stainless steel V2A 1.4301 Removal of mail On the front Number of with 14 letterboxes boxes Mounting type Flush-mounted

Dimensions

Width of single box in mm 355,0 Capacity in litres 12,0 17,0 Height of letterbox slot in mm 35,0 Width of letter slot in mm 325,0 Height of letterbox in mm 1040,0 Width of letterbox system in mm 1825,0 Depth in mm 100,0 150,0 Weight in kg 68 Delivery condition Supplied partially disassembled (2 blocks)	Height of single box in mm	330,0
Height of letterbox slot in mm35,0Width of letter slot in mm325,0Height of letterbox in mm1040,0Width of letterbox system in mm1825,0Depth in mm100,0 150,0Weight in kg68	Width of single box in mm	355,0
Width of letter slot in mm325,0Height of letterbox in mm1040,0Width of letterbox system in mm1825,0Depth in mm100,0 150,0Weight in kg68	Capacity in litres	12,0 17,0
Height of letterbox in mm1040,0Width of letterbox system in mm1825,0Depth in mm100,0 150,0Weight in kg68	Height of letterbox slot in mm	35,0
Width of letterbox system in mm1825,0Depth in mm100,0 150,0Weight in kg68	Width of letter slot in mm	325,0
Depth in mm 100,0 150,0 Weight in kg 68	Height of letterbox in mm	1040,0
Weight in kg 68	Width of letterbox system in mm	1825,0
	Depth in mm	100,0 150,0
Delivery conditionSupplied partially disassembled (2 blocks)	Weight in kg	68
	Delivery condition	Supplied partially disassembled (2 blocks)

www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110



More images



www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110







Briefkasten Manufaktur Lippe GmbH Werler Straße 60 32105 Bad Salzuflen www.briefkasten-manufaktur.de info@briefkasten-manufaktur.de Tel.: +49 5222 807110