

# Design wall light ZUSE 280x180 bi-colour - polished stainless steel - RAL of your choice | Bi-colour polished stainless steel | ? Colour of your choice

**Product number** 640VAR-BI



## Product description

### Design wall light ZUSE 280x180 bi-colour - polished stainless steel - RAL of your choice

High-quality wall light for indoor and outdoor use in bicolour RAL colour of your choice and polished stainless steel.

- The wall light is made of cast aluminium, stainless steel and pressed glass, opal.
- Frame in RAL/DB colour of choice, decorative cover in stainless steel, polished.
- Base E 27, suitable for lamps of energy classes A++ to E max. 57 W.
- Protective conductor connection.
- Protection class IP 44 - splash-proof.
- With cast aluminium mounting plate for fixing.
- 2 fixing holes 7mm, spacing 220mm, connection terminal 2 x 2.5mm².
- CE mark of conformity.
- Manufactured by Gebrüder Albert GmbH & Co KG Leuchtenfabrik - Quality Made in Germany (Fröndenberg).

#### Installation:

The national and international electronic safety regulations must be observed for the installation and operation of this luminaire. Use the four grub screws to remove the wall plate from the luminaire fitting. Feed the mains cable connection through the cable grommet and fix the wall plate to the mounting surface. Push the enclosed silicone hoses over the connecting wires. Establish the protective conductor connection and electrical connection at the terminal. Insert the light source and tighten the light fitting and glass to the wall plate using the grub screws.

## Product properties

**Surface/colour** RAL 9005 deep black, DB 703 iron mica, RAL 7016 anthracite grey, RAL of your choice (according to colour table), Brushed, RAL 9007 grey aluminium, RAL 9016 traffic white

**Protection type** IP44

**Illuminants** ohne



**Material** Aluminium AlMg3 W19, Stainless steel V2A 1.4301

**Protection class** I

## Dimensions

|                    |                          |
|--------------------|--------------------------|
| Width in mm        | 280                      |
| Height in mm       | 180                      |
| Total width in mm  | 280                      |
| Depth in mm        | 105,0                    |
| Delivery condition | Supplied fully assembled |

## Drawing



## More images

