

Stainless steel video stele DESIGNER 529S ST-R Elegance I with DoorBird D1100E - RAL of your choice

Número de artículo 529SST-E-KSDB1100-1



Descripción del producto

Stainless steel video stele DESIGNER 529S ST-R Elegance I with DoorBird D1100E - RAL of your choice

This simple yet elegant doorbell pedestal with DoorBird D1100E camera. The front plate made of stainless steel V2A 1.4301 in the colour of your choice is mounted on a 5 mm stainless steel frame and stands out slightly from the polished stainless steel stand elements. Integrated DoorBird IP Video Door Station D1100E. The DoorBird IP Video Door Station D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app using a smartphone or tablet.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301.
- Front panel powder-coated in RAL colour of your choice.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Dimensions of the bell plate: W 160 mm x H 320 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 290 mm x D 50 mm
- The uprights are made of 42.4 mm stainless steel, polished. Invisible cable routing through the pillars.
- DoorBird IP video door station D1100E and call button (small D11X) installed.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


Características del producto

Superficie/color	Negro intenso RAL 9005, Rojo púrpura RAL 3004, DB 703 mineral de hierro micáceo, RAL 7016 gris antracita, RAL de su elección (según tabla de colores), Suelo, Aluminio gris RAL 9007, RAL 9016 blanco tráfico
Serie	DISEÑADOR
Tecnología de conexión	2 hilos, LAN
Número de botones de timbre	1 pulsador
Funciones	Cámara, Puesto de interfonía
Tipo de montaje	Independiente
Material de base	Acero inoxidable V2A 1.4301
Número de casa	Número de casa grabado con láser
Etiquetado de nombres	Etiquetado de nombres como grabado láser

Dimensiones

Anchura en mm	130 160
Altura en mm	290 320
Altura total en mm	1200.0 1500.0 1700.0 (recommended camera height 1400.0 -1600.0)
Anchura total en mm	290,0
Profundidad en mm	52,0
Peso en kg	4
Condiciones de entrega	Supplied in blocks, floor units/door station divided

Bosquejo



Zur Verschraubung sind M10 Schwerlastdübel zu verwenden, diese werden nicht mitgeliefert.



Fussplatte entfällt bei Montageart zum Einbetonieren

Más imágenes



