

Stainless steel letterbox column designer model BIG - rear removal - RAL of your choice - DoorBird video intercom system

Numéro de référence 599RB-VAR-KSDB



Description du produit

Stainless steel letterbox column designer model BIG - rear removal - RAL colour of your choice - DoorBird video intercom system

High-quality manufactured letterbox pillar with rear removal of the brand Briefkasten Manufaktur completely made of stainless steel, powder-coated in RAL colour in extra large format. Integrated DoorBird IP video door station D2100E or D1100E. The DoorBird IP Video Door Station D2100E or D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app.

This is a real eye-catcher among letterboxes. Clean lines and no-frills design characterise the designer letterbox. Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur. The DoorBird was not only invented and developed in Germany, but is still produced in Berlin today. At DoorBird, "Made in Germany" is not just a seal, but a philosophy that is lived and breathed. The IP video door stations are manufactured in the DoorBird factory to guarantee the highest quality, durability and customer satisfaction.

- The letterbox module is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour.
- Rear mail removal door 240 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 35 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing.
- The pillars are fitted with modules that can be replaced at a later date.
- Optionally with house number, backlit in white incl. EVN LED power supply unit / transformer IP65 12V/DC 0.1-4W for LED illumination of the house number.
- The fully welded pedestal is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour. Construction height is 1.70 m.
- Invisible cable feed through the body is possible.
- The pedestal is fitted with a VA base plate. This is 10 mm thick and is finished with a cover plate. This conceals the fixing plugs.
- Incl. DoorBird IP video door station D2100E or D1100E installed.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible. If you install this system completely free-standing, we recommend using a rain canopy. Tight-fitting self-adhesive rain cover enclosed.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Caractéristiques du produit

Surface/couleur	RAL 9005 noir profond, RAL 3004 rouge pourpre, DB 703 fer micacé, RAL 7016 gris anthracite, RAL au choix (selon le tableau des couleurs), Meulé, RAL 9007 aluminium gris, RAL 9016 blanc trafic
Série	DESIGNER
Technique de raccordement	LAN
Nombre de boutons de sonnette	1 bouton-poussoir
Fonctions	Porte-journaux, Caméra, Poste d'interphonie, Empreinte digitale
Inscription du nom	Inscription du nom en découpe laser, Badge d'identification
Type de montage	Autonome
Matériau de base	Acier inoxydable V2A 1.4301
Numéro de maison	Numéro de maison en découpe laser, éclairé
Nombre de boîtes aux lettres	avec 1 boîte aux lettres
Caisses individuelles par volume	Grand > 16 litres
Prélèvement de poste	Verso

Dimensions

Hauteur du caisson individuel en mm:	710,0 750,0
Largeur du caisson individuel en mm:	410,0 450,0
Volume en litres:	31
Hauteur de la fente d'introduction du courrier en mm:	63,0
Largeur de la fente d'introduction du courrier en mm:	350,0
Hauteur de construction en mm:	1700,0
Largeur totale en mm:	490.0 (base plate 580.0)
Profondeur en mm:	150.0 (footplate 240.0)
Poids en kg:	65
État de livraison:	Delivery is assembled
Informations sur l'envoi:	Delivery by haulage company on a one-way pallet. Before delivery, the forwarding agent will contact you by telephone to arrange an appointment.

Plus d'images





