Stainless steel video door station DESIGNER 529S Elegance I with DoorBird D1100E - polished stainless steel

Numéro de référence 529S-VA-KSDB1100-1

Description du produit

Stainless steel video door station DESIGNER 529S Elegance I with DoorBird D1100E - polished stainless steel

This simple yet elegant doorbell plate blends seamlessly into the building façade. The front plate made of stainless steel V2A 1.4301, 240 grain polished is mounted on a 5 mm stainless steel frame and stands out slightly from the house wall. Integrated DoorBird IP video door station D1100E. The DoorBird IP Video Door Station D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app using a smartphone or tablet.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Doorbell plate dimensions W 160 mm x H 320 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 290 mm x D 50 mm
- Optionally for flush-mounted or surface-mounted installation.
- DoorBird IP video door station D1100E and call button (small D11X) installed.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Caractéristiques du produit

Série	DESIGNER
Technique de raccordement	2 fils, LAN
Nombre de boutons de sonnette	1 bouton-poussoir
Fonctions	Caméra, Poste d'interphonie
Matériau de base	Acier inoxydable V2A 1.4301
Numéro de maison	Numéro de maison en gravure laser
Inscription du nom	Inscription du nom en gravure laser
Surface/couleur	Meulé
Type de montage	En saillie, Encastré

Dimensions

Largeur en mm	130 | 160
Hauteur en mm	290 | 320
Profondeur en mm	52,0
Poids en kg	4
État de livraison	Delivery is assembled

Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Esquisse



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618

Plus d'images



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618



Briefkasten Manufaktur Lippe GmbH
Werler Straße 60
32105 Bad Salzuflen

www.briefkasten-manufaktur.de
info@briefkasten-manufaktur.de
Tel.: +49 5222 807110

Geschäftsführer Oliver Woineck
Ust.ID.Nr. DE303690847
Handelsregister Amtsgericht Lemgo, HRB 8618