


Stainless steel video door station DESIGNER 529S Elegance I - RAL of your choice - Comelit VIDEO complete set

Numéro de référence 529S-E-KSCSWIFI-1



Description du produit

Stainless steel video door station DESIGNER 529S Elegance I - RAL of your choice - Comelit VIDEO complete set

This simple yet elegant doorbell plate blends seamlessly into the building façade. The front plate made of stainless steel V2A 1.4301 in the colour of your choice is mounted on a 5 mm stainless steel frame and stands out slightly from the house wall. The Comelit video intercom system is an innovative solution with functions such as face recognition, voice commands and operation via smartphone app. Completely pre-programmed for easy installation - connect 2 wires and DONE! Optionally with gateway without home station or with WiFi home station.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301.
- Quality production - Made in Germany by Briefkasten Manufaktur Lippe.
- **EU compliant: COMELIT as a guarantee for your data** - the cloud server infrastructure belongs to COMELIT and is located in Europe (in Frankfurt, one of the most important financial centres in Europe and a major location for the data centre industry) and is managed in partnership with the world's most important cloud provider: Amazon AWS (Amazon Web Services).
- Front panel powder-coated in RAL colour of your choice.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Dimensions of the bell plate: W 160 mm x H 320 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 290 mm x D 50 mm
- Optionally for flush-mounted or surface-mounted installation.
- 8-12V DC short-stroke bell push-button with LED ring illumination in white.
- Optionally with name labelling approx. 10-20 mm high.
- Optionally with house number labelling approx. 60-80mm high.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


Caractéristiques du produit

Surface/couleur	RAL 9005 noir profond, RAL 3004 rouge pourpre, DB 703 fer micacé, RAL 7016 gris anthracite, RAL au choix (selon le tableau des couleurs), RAL 9007 aluminium gris, RAL 9016 blanc trafic
Série	DESIGNER
Technique de raccordement	2 fils
Nombre de boutons de sonnette	1 bouton-poussoir
Fonctions	Caméra, Poste d'interphonie
Matériau de base	Acier inoxydable V2A 1.4301
Numéro de maison	Numéro de maison en gravure laser
Inscription du nom	Inscription du nom en gravure laser
Type de montage	En saillie, Encastré

Dimensions

Largeur en mm	130 160
Hauteur en mm	290 320
Profondeur en mm	52,0
Poids en kg	4
État de livraison	Delivery is assembled

Esquisse



Plus d'images

