

Stainless steel fence letterbox BASIC Plus 382XZ with newspaper compartment - removal from the rear | Roestvrij staal, gepolijst

Artikelnummer 382XAZ-VA-1-ZFG



Productbeschrijving

Stainless steel fence letter box BASIC Plus 382XZ with closed newspaper compartment - polished stainless steel - removal from the rear

High-quality fence letterbox from Briefkasten Manufaktur with closed newspaper compartment, operated with a toggle lock. The post is inserted from the front, residents can remove the post from the back. The letter box can be attached to your fence using the optional bar mat attachment; if this is not selected, the letter box should be fitted and perforated by your fence builder. The complete fence letterbox is made of weather-resistant stainless steel V2A 1.4301, 240 grain polished. A rain drainage edge for optimum water protection, a throw-in flap with rubber buffer, the solid interchangeable nameplate, a practical post holder and the very robust lock characterise this stainless steel letterbox.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- Fence letterbox made of stainless steel V2A 1.4301, 240 grain polished.
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- Newspaper compartment with door and toggle lock made of stainless steel V2A 1.4301, 240 grain polished. Dimensions: 355x165x100mm. Laser inscription in grey "ZEITUNG".
- The letterbox complies with DIN/EN 13724. Insertion size (3.5 cm x 32.5 cm) for C4 landscape, large letters also fit in here without creasing.
- Insertion flap with sound-absorbing rubber seal for very quiet insertion of mail.
- The door can be opened from left to right.
- Incl. 2 keys with key number, interchangeable nameplate (type 2) under the flap and post holder.
- Incl. side panelling + rain cover made of stainless steel V2A 1.4301, 240 grain polished.
- Suitable for fence mounting, fixing holes must be made on site. Optionally with bar mat holder.

Important information:

The post is only protected against moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water may still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.


Productkenmerken

Serie	BASIS
Funcities	Krantenrek
Enkele doos per volume	Normaal > 10 liter
Naametikettering	Naamplaatje
Basismateriaal	Roestvrij staal V2A 1.4301
Huisnummer	Huisnummer als lasergravure
Type montage	Hek
Aantal dozen	met 1 brievenbus
Oppervlak/kleur	Grond
Item terugtrekken	Achterkant

Afmetingen

Hoogte van individuele doos in mm	330,0
Breedte van enkele doos in mm	355,0
Volume in liter	12
Hoogte van lettersleuf in mm	35,0
Breedte van lettersleuf in mm	325,0
Hoogte van brievenbussysteem in mm	495,0
Breedte van brievenbussysteem in mm	355,0
Diepte in mm	100.0 + 24.0 Rain roof
Gewicht in kg	9

Schets



Meer foto's





