

Stainless steel letterbox column designer model BIG - rear removal - RAL of your choice - DoorBird video intercom system

Numer artykułu 599RB-VAR-KSDB



Opis produktu

Stainless steel letterbox column designer model BIG - rear removal - RAL colour of your choice - DoorBird video intercom system

High-quality manufactured letterbox pillar with rear removal of the brand Briefkasten Manufaktur completely made of stainless steel, powder-coated in RAL colour in extra large format. Integrated DoorBird IP video door station D2100E or D1100E. The DoorBird IP Video Door Station D2100E or D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app.

This is a real eye-catcher among letterboxes. Clean lines and no-frills design characterise the designer letterbox. Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur. The DoorBird was not only invented and developed in Germany, but is still produced in Berlin today. At DoorBird, "Made in Germany" is not just a seal, but a philosophy that is lived and breathed. The IP video door stations are manufactured in the DoorBird factory to guarantee the highest quality, durability and customer satisfaction.

- The letterbox module is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour.
- Rear mail removal door 240 mm x 300 mm, opens from top to bottom. Incl. 2 keys with key number.
- Mail slot from the front, dimensions: W 35 cm x H 6.3 cm, C4 landscape. Very large letters fit in here without creasing.
- The pillars are fitted with modules that can be replaced at a later date.
- Optionally with house number, backlit in white incl. EVN LED power supply unit / transformer IP65 12V/DC 0.1-4W for LED illumination of the house number.
- The fully welded pedestal is made of 2mm stainless steel V2A 1.4301, powder-coated in RAL colour. Construction height is 1.70 m.
- Invisible cable feed through the body is possible.
- The pedestal is fitted with a VA base plate. This is 10 mm thick and is finished with a cover plate. This conceals the fixing plugs.
- Incl. DoorBird IP video door station D2100E or D1100E installed.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Please contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection for your mail, the letterbox or letterbox system should be located under a canopy if possible. If you install this system completely free-standing, we recommend using a rain canopy. Tight-fitting self-adhesive rain cover enclosed.

The mail is only protected from water if it is fully inserted in the box and the flap is closed. Mail that is not fully inserted allows moisture and dirt to penetrate the letterbox. It is therefore necessary to plan sufficiently dimensioned letterboxes for the upcoming requirements. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.

Właściwości produktu

Powierzchnia/kolor	RAL 9005 grafitowa, RAL 3004 fioletowo-czerwony, DB 703 miedziana, RAL 7016 szary antracyt, RAL do wyboru (zgodnie z tabelą kolorów), Uziemienie, RAL 9007 szare aluminium, RAL 9016 biały drogowy
Seria	PROJEKTANT
Technologia połączenia	LAN
Liczba przycisków dzwonka	1 przycisk
Funkcje	Stojak na gazety, Kamera, Stacja interkomowa, Odcisk palca
Skrzynka funkcyjna przygotowana dla producenta	DoorBird
Etykietowanie nazw	Etykietowanie jako cięciwie laserowe, Identyfikator
Typ montażu	Wolnostojący
Materiał bazowy	Stal nierdzewna V2A 1.4301
Numer domu	Numer domu wycięty laserowo, podświetlany
Liczba pudełek	z 1 skrzynką na listy
Pojedyncze pudełko według objętości	Duży > 16 litrów
Wycofanie przedmiotu	Tylna strona

Wymiary

Wysokość pojedynczego pudełka w mm	710,0 750,0
Szerokość pojedynczego pudełka w mm	410,0 450,0
Pojemność w litrach	31
Wysokość szczeliny na listy w mm	63,0
Szerokość szczeliny na listy w mm	350,0
Wysokość całkowita w mm	1700,0
Całkowita szerokość w mm	490,0 (base plate 580,0)
Głębokość w mm	150,0 (footplate 240,0)
Waga w kg	65
Warunki dostawy	Delivery is assembled

Wi?cej zdj??





