

Stainless steel video door station DESIGNER 529S Elegance I with DoorBird D1100E - polished stainless steel

Numer artykułu 529S-VA-KSDB1100-1



Opis produktu

Stainless steel video door station DESIGNER 529S Elegance I with DoorBird D1100E - polished stainless steel

This simple yet elegant doorbell plate blends seamlessly into the building façade. The front plate made of stainless steel V2A 1.4301, 240 grain polished is mounted on a 5 mm stainless steel frame and stands out slightly from the house wall. Integrated DoorBird IP video door station D1100E. The DoorBird IP Video Door Station D1100E is the smart solution for your entrance door. The IP video door station can be operated as a stand-alone unit or integrated into an existing smart home platform. Existing, classic installations such as a door chime or an electric door and gate opener can also continue to be used with DoorBird and controlled via the app using a smartphone or tablet.

Our products have a high quality, reliable functionality and their own identity. Made by Briefkasten Manufaktur.

- Door station made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Installation box made of 2 mm stainless steel V2A 1.4301, 240 grain polished.
- Doorbell plate dimensions W 160 mm x H 320 mm x D 8 mm.
- Installation box dimensions: W 130 mm x H 290 mm x D 50 mm
- Optionally for flush-mounted or surface-mounted installation.
- DoorBird IP video door station D1100E and call button (small D11X) installed.

Important information

Camera or intercom preparation

The intercom systems must be connected by an electrician. Contact your trusted electrician for planning, fitting and installation.

Water protection

To achieve optimum water protection, the door station should be located under a canopy if possible.


Właściwości produktu

Seria	PROJEKTANT
Technologia połączeń	2-przewodowy, LAN
Liczba przycisków dzwonka	1 przycisk
Funkcje	Kamera, Stacja interkomowa
Materiał bazowy	Stal nierdzewna V2A 1.4301
Numer domu	Numer domu jako grawer laserowy
Etykietowanie nazw	Etykietowanie nazw jako grawerowanie laserowe
Powierzchnia/kolor	Uziemienie
Typ montażu	Montaż powierzchniowy, Montaż podtynkowy

Wymiary

Szerokość w mm	130 160
Wysokość w mm	290 320
Głębokość w mm	52,0
Waga w kg	4
Warunki dostawy	Delivery is assembled

Szkic



Wi?cej zdj??

