

12-point stainless steel free-standing letterbox Design BASIC Plus 385XP ST-T with bell box - RAL of your choice | Right | ? Colour of your choice | with 12 letterboxes (2x8)

Product number 385XP-12S-SP-R



Product description

12-point stainless steel free-standing letterbox Design BASIC Plus 385XP ST-T with bell box - RAL of your choice

Modern free-standing letterbox for 12 parties made in Germany by Briefkasten Manufaktur.

The letterboxes are made of stainless steel V2A, powder-coated in RAL colour, the stand elements are made of anodised aluminium profile, powder-coated in RAL colour and are solidly manufactured and at the same time very elegant. A close-fitting side cladding with rain canopy and the rain drainage channels for optimum water protection, a throw-in flap with rubber lip, the solid interchangeable nameplate and the robust lock characterise this free-standing letterbox. This letterbox is easy to clean and robust.

The letterbox systems in the BASIC Plus collection are characterised by the consistent use of V2A stainless steel and aluminium. The result is a very long service life and sustainability. The design has been developed by our own engineers with a view to high flexibility and modularity, simple spare parts assembly and uncomplicated self-assembly. Spare parts are directly available for all BASIC Plus systems.

- 12 letterboxes completely powder-coated in RAL colour
- The system is manufactured by Briefkasten Manufaktur. German quality production "Made in Germany".
- The letterboxes made of galvanised steel, powder-coated in RAL 7016 anthracite grey fine structure matt comply with DIN/EN 13724. Insertion size (3.5 cm x 26.5 cm) for C4 high, large letters also fit in here without creasing.
- Insertion flaps with sound-absorbing rubber lip for very quiet mail insertion.
- The doors can be opened from left to right.
- Incl. 2 keys with key number and changeable name plate under the flap for each letterbox.
- Incl. close-fitting side cladding + rain cover made of V2A stainless steel, powder-coated in RAL colour.
- Bell function box made of V2A stainless steel, powder-coated in RAL colour
- Intercom perforation with universal adapter. (Intercom system/ built-in loudspeaker not included in the scope of delivery).
- Universal adapter is suitable for all commercially available built-in loudspeakers (Siedle, Ritto, TCS, Busch-Jäger, Gira, Legrand Bticino, ELCOM, Auerswald, Comelit and many more).
- Round stainless steel bell push type 4, max. 250 V AC, 5 A.
- Anti-vandalism The nameplate is indentation-proof and impact-resistant, the plastic is flame-retardant.
- The stand elements are made of aluminium profile, powder-coated in RAL colour for screw mounting or setting in concrete.

Important information:

The post is only protected from moisture and dirt when it is fully inserted and the flap is closed. Under certain extreme weather conditions, water can still enter (up to 1ccm according to DIN EN 13724). This is not a reason for complaint.



Product properties

Material Steel, galvanised, Aluminium AlMg3 W19, Stainless steel V2A 1.4301

Surface/colour RAL 9005 deep black, RAL 3004 crimson red, DB 703 iron mica, RAL 7016 anthracite grey, RAL of

your choice (according to colour table), RAL 9007 grey aluminium, RAL 9016 traffic white

Series BASIC
Number of bell push 12 buttons

buttons Functions

Light button, Intercom

Functional box prepared for

GIRA, Busch Jaeger, Siedle, STR Elektronik, ELCOM, TCS, Ritto, ALGO, Telegärtner, Auerswald,

manufacturer Legrand Bticino, Comelit

Boxes by volume Normal > 10 litres

Name labellingNameplateMounting typeFree-standingRemoval of mailOn the front

Number of boxes with 12 letterboxes

Dimensions

Height of single box in mm 110,0
Width of single box in mm 300,0
Capacity in litres 12
Height of letterbox slot in mm 35,0
Width of letter slot in mm 265,0
Height of letterbox in mm 880,0
Width of letterbox system in mm 600,0

Overall height in mm 1200,0 | 1600,0

 Total width in mm
 700,0

 Depth in mm
 435,0


 Weight in kg
 82


Delivery condition Supplied in blocks, stand elements / letterbox divided




Drawing

Montagebohrungen









More images







